



Estd : 1987

RAJAS DENTAL COLLEGE & HOSPITAL

Kavalkinaru Jn., Tirunelveli District - 627 105

DCI Recognition No: DE-3(44)-93/2246

Affiliated to :

Dated 09/11/1993

The Tamilnadu Dr. M.G.R. Medical University, Chennai.

4.2.1. The facilities as per the stipulations of the respective Regulatory Bodies with Geo tagging



PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT,



Estd : 1987

RAJAS DENTAL COLLEGE & HOSPITAL


Kavalkinaru Jn., Tirunelveli District - 627 105

DCI Recognition No: DE-3(44)-93/2246

Dated 09/11/1993

Affiliated to :

The Tamilnadu Dr. M.G.R. Medical University, Chennai.




PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



Estd : 1987

RAJAS DENTAL COLLEGE & HOSPITAL

Kavalkinaru Jn., Tirunelveli District - 627 105

DCI Recognition No: DE-3(44)-93/2246

Dated 09/11/1993

Affiliated to :

The Tamilnadu Dr. M.G.R. Medical University, Chennai.



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



**INSPECTION PROFORMA FOR
BDS PERIODIC**

AS PER DCI REGULATIONS 2006

(All Points and parameters are to be verified and established in person by the designated Inspectors. All necessary documents to be verified by the Principal for submission along with the report)

No. of Seats applied for: **100**

I. SCRUTINY OF REQUISITE PERMISSIONS

Name & Address of the Dental College : Rajas Dental College & Hospital
Kavalkinaru Junction - 627105
Tirunelveli District.
Info@rajasdentalcollege.com

Email Address for Correspondence : 04637 - 231367

Telephone & Fax No. : 04637 - 231905

Status : Govt. / Private / Deemed

Year of Establishment : 1987

GOI Permission No. & Date : NA

State Government Essentiality/ Permission Certificate : Issued By: NA
No. & Date: NA
Valid Upto: NA

University Affiliation : Issued By: The Tamilnadu Dr. M.G.R. Medical University
(Provisional / Permanent)
No. & Date:
Proc. No. Affln.IV(2)/57346/2015 & 27.09.2016
Valid Upto: One Year

III. HOSPITAL: Requirement of the 100 bedded general hospital for teaching BDS students drawn up in accordance with the parameters prescribed by the Bureau of Indian Standards

Own Hospital Medical College Govt. General Hospital

Whether the permission of the attached 100 : Yes
bedded hospital is issued by the competent
authority?

Name and Full Address of Hospital:
Government Hospital,

Boothapandy, Kanniyakumari District

Name of the CMO with Tel No. & Mobile No.:

Dr. Ravi Kumar, 04652 - 282206, 283303, 9677326143

Name of the Issuing Competent Authority:

Dr. Ravi Kumar, Chief Civil Surgeon, Medical Officer,
Govt. Taluk Hospital, Boothapandy, Kanniyakumari District.

Distance of the hospital from the Dental College : 9.6km
by Road (please clarify as to whether you have
physically verified/taking the reading of
Taxi/Car Meter)

Number of Beds : Total: 101

| Department | Required | Allotted | Occupancy | |
|--|----------|----------|----------------------|--------------------------|
| | | | During last 6 months | On the day of inspection |
| General Ward - Medical including allied specialities | 30 | 30 | 21% | 20% |
| General Ward -Surgical including allied specialities | 30 | 30 | 19% | 25% |
| Private Ward (A/C & Non A/c) | 9 | 9 | 6% | 4% |
| Maternity Ward | 15 | 15 | 11% | 11% |
| Paediatric Ward | 6 | 6 | 4% | 4% |
| Intensive Care Services (4% of bed strength) | 4 | 5 | 3% | 3% |
| Critical Care Services (6% of bed strength) | 6 | 6 | 2% | 2% |

PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Area Requirements (As per Bureau of Indian Standards)

| | Required | Available |
|--|----------|-----------|
| | | |

| | | |
|------------------------------------|--------------|-----------|
| Covered Area | 20 sq.m./bed | Available |
| Inpatient Services | 40% | Available |
| Outpatient Services | 35% | Available |
| Department and supportive services | 25% | Available |

XI. DENTAL CHAIRS / UNITS*

Total Dental Chairs Installed with all the attachments : 275
thereon **(Required: 200 Dental Chairs)** _____

Whether all the chairs and units are functioning and : Yes / No
electrically operated?

Number of Dental Chairs Electrically Operated : 275

Number of Dental Chairs Non-Electrically Operated : -

- * **Specification:** Electrically operated, Spittoon attachment, Halogen Light with 2 intensity, high power evacuation system, Air ventury suction, X-ray viewer, Airrotor, Micromotor with straight and contrangle Handpiece, 3 way syringe, ultrasonic sealer with 3 tips, Light cure unit, instrument tray and suction, Dental operator stool with height adjustment



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

XII. MAJOR EQUIPMENTS


DEPARTMENT: PROSTHODONTICS AND CROWN & BRIDGE

| Name | Specification | Quantity | |
|-------------------------------------|--|----------|-----------|
| | | Required | Available |
| Dental Chairs and Units | As per specification | 34 | 34 |
| Semi adjustable articulator | With face bow | 2 | 2 |
| Extra oral/intra oral tracer | | 2 | 2 |
| Dewaxing unit | | 2 | 2 |
| Curing unit | | 2 | 2 |
| Dental casting machine | | 1 | 1 |
| Wax burnout furnace | | 1 | 1 |
| Pre heating furnace | | 1 | 1 |
| Surveying unit | | 2 | 2 |
| Heavy duty hand piece | Lab micromotors | 4 | 4 |
| Autoclave | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 2 | 2 |
| Needle burner with syringe cutter | | 2 | 2 |
| Plaster Dispenser | One each for plaster and stone plaster | 2 | 2 |
| Model Trimmer with Carborandum Disc | | 1 | 1 |
| Model Trimmer with Diamond Disc | | 2 | 2 |
| Acrylizer | | 3 | 3 |
| Lathe | | 2 | 2 |
| Flask press | | 4 | 4 |
| Deflasking unit | | 4 | 4 |
| Dewaxing unit | | 3 | 3 |
| Hydraulic Press | | 3 | 3 |
| Mechanical Press | | 2 | 2 |
| Vacuum mixing machine | | 1 | 1 |
| Lab Micro motor | With heavy duty handpiece | 4 | 4 |
| Curing pressure pot | | 1 | 1 |
| Porcelain furnace | | 2 | 2 |
| Vibrator | | 2 | 2 |
| Sand blasting unit | | 2 | 2 |
| Ultrasonic cleaner | | 2 | 2 |
| Model Trimmer | | 4 | 4 |
| Hot water sterilizer | | 2 | 2 |
| Geyser | Compound bath | 2 | 2 |
| H.P. grinder with suction | | 3 | 3 |
| Heavy duty lathe | | 2 | 2 |
| Phantom heads | Gas connection & bunson burner | 50 | 50 |
| Pre-clinical working tables | | 100 | 100 |

PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

CERAMIC AND CAST PARTIAL LABORATORY

| NAME | SPECIFICATIONS | Required | Available | Deficiency |
|--|--|----------|-----------|------------|
| Plaster Dispensor | One each for plaster and stone plaster | 2 | 2 | |
| Duplicator | | 1 | 1 | |
| Pindex System | | 1 | 1 | |
| Circular saw | | 1 | 1 | |
| Burn out furnace | | 1 | 1 | |
| Sandblasting machine | With two containers | 1 | 1 | |
| Electro-polisher | | 1 | 1 | |
| Model Trimmer with Carborandum disc | | 1 | 1 | |
| Model Trimmer with Diamond disc | | 1 | 1 | |
| Induction casting machine | | 1 | 1 | |
| Programmable porcelain furnace with vacuum pump with instrument kit and material kit | | 1 | 1 | |
| Spot welder with soldering, attachment of cable | | 1 | 1 | |
| Vacuum mixing machine | | 1 | 1 | |
| Steam Cleaner | | 1 | 1 | |
| Spindle Grinder 24,000 RPM with vacuum suction | | 1 | 1 | |
| Wax heater | | 1 | 1 | |
| Wax carver | | 1 | 1 | |
| Curing pressure pot | | 1 | 1 | |
| Milling machine | | 1 | 1 | |
| Heavy duty lathe with suction | | 1 | 1 | |
| Preheating furnace | | 1 | 1 | |
| Palatal trimmer | | 1 | 1 | |
| Ultrasonic cleaner | 5 liters capacity | 1 | 1 | |
| Composite curing unit | | 1 | 1 | |
| Micro surveyor | | 1 | 1 | |
| PRE-CLINICAL PROSTHETICS LABORATORY | Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool. Adequate number of lab micro motor with attached hand piece | 60 20 | 60 20 | |
| PLASTER ROOM FOR PRE-CLINICAL WORK | | | | |
| Plaster dispenser | One each for plaster and stone | 2 | | |


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVAIKINAR 2 JN - 627 105.
TIRUNELVELI DISTRICT.

| | | | | |
|------------------|---------|---|---|--|
| | plaster | | | |
| Vibrator | | 2 | 2 | |
| Lathe | | 2 | 2 | |
| Model Trimmer | | 1 | 1 | |
| Carborandum Disc | | 1 | 1 | |
| Diamond disc | | 1 | 1 | |

DEPARTMENT : CONSERVATIVE DENTISTRY AND ENDODONTICS

| Name | Specification | Quantity | |
|-----------------------------------|---|----------|-----------|
| | | Required | Available |
| Dental Chairs and Units | As per specification | 34 | 34 |
| Rubber dam kits | | 6 | 6 |
| Restorative instruments kits | | 10 | 10 |
| R.C.T. instrument kits | | 10 | 10 |
| Autoclaves | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 3 | 3 |
| Ultrasonic cleaner | Minimum capacity 13 liters with mesh bucket | 2 | 2 |
| Needle burner with syringe cutter | | 4 | 4 |
| Amalgamator | With auto proportion, auto dispenser | 3 | 3 |
| Rubber dam kits | | 6 | 6 |
| Pulp Tester-Digital | | 4 | 4 |
| Apex Locator | | 2 | 2 |
| Glass bead sterilizers | | 6 | 6 |
| Plaster dispensers | | 2 | 2 |
| Vibrator | | 2 | 2 |
| Ceramic Unit | | 1 | 1 |
| Casting machine | | 1 | 1 |
| Intra-oral X-ray Unit | Proper radiation safety | 1 | 1 |
| Automatic Developer | | 1 | 1 |
| Radiovisiography | RVG with Computer | 1 | 1 |
| Endo motor | With torque control Hps | 1 | 1 |
| Bleaching unit | | 1 | 1 |
| Magnification loops | | 2 | 2 |
| Injectable gutta percha | | 2 | 2 |
| PHANTOM LAB UNIT | Phantom Table fitted with Halogen Operating Light Phantom Head body type neck joint for all the movement, TMJ movement. Modular with Air rotor, Micro motor with contra angle Hps, 3-way syringe, jaw with ivory teeth, preferably soft gingival, dental operator's stool (not to use | 60 | 60 |

Rajal

PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 106.
TIRUNELVELI DISTRICT.

| | | | |
|--|------------------------------|--|--|
| | extracted or cadaver teeth). | | |
|--|------------------------------|--|--|

CHEMICAL LABORATORY

| | | | |
|----------------------|--|---|---|
| Plaster Dispenser | One each for plaster and stone plaster | 2 | 2 |
| Model Trimmer | Carborandum disc | 1 | 1 |
| | Diamond disc | 1 | 1 |
| Lathe | Heavy Duty | 2 | 2 |
| Lab Micromotor | With heavy duty handpiece | 3 | 3 |
| Ultrasonic cleaner | Minimum capacity 5 liters | 1 | 1 |
| Spindle Grinder | | 1 | 1 |
| Vibrator | | 2 | 2 |
| Burnout furnace | | 1 | 1 |
| Porcelain furnace | | 1 | 1 |
| Sandblasting Machine | | 1 | 1 |
| Lab Airrotor | | 1 | 1 |
| Pindex System | | 1 | 1 |
| Circular saw | | 1 | 1 |
| Vacuum mixer | | 1 | 1 |
| Pneumatic chisel | | 1 | 1 |
| Casting machine | Motor cast/induction casting preferred | 1 | 1 |


DEPARTMENT : ORAL PATHOLOGY AND ORAL MICROBIOLOGY

| Name | Specification | Quantity | |
|-------------------------|--|----------|-----------|
| | | Required | Available |
| Dental Chairs and Units | With shadowless lamp, spittoon, 3 way syringe, instrument tray and suction | 2 | 2 |
| Microscopes | | 40 | 40 |
| Microtome | | 1 | 1 |
| Wax bath | | 1 | 1 |
| Water bath | | 1 | 1 |
| Knife sharpner | | 1 | 1 |
| Hot plate | | 1 | 1 |
| Spencer knife | | 1 | 1 |

DEPARTMENT: ORAL & MAXILLOFACIAL SURGERY

A) EXODONTIA

| Name | Specification | Quantity | |
|-------------------------|--|----------|-----------|
| | | Required | Available |
| Dental Chairs and Units | As per specification | 30 | 30 |
| Autoclaves | Front loading Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 2 | 2 |
| Ultrasonic Cleaner | Minimum capacity 13 liters with mesh bucket | 2 | 2 |


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU IN - 627 105.
TIRUNELVELI DISTRICT.

| | | | |
|-----------------------------------|--------------------|----|----|
| Needle burner with syringe cutter | | 6 | 6 |
| Extraction forceps sets | Complete set | 20 | 20 |
| Dental elevators | Complete set | 10 | 10 |
| Minor Oral surgery kits | | 6 | 6 |
| Emergency drugs tray | | 1 | 1 |
| Oxygen cylinder with mask | | 1 | 1 |
| X-ray viewers | | 2 | 2 |
| Computer | Minimum Pentium IV | 1 | 1 |

B) MINOR SURGERY

| | | | |
|-------------------------|----------------------|---|---|
| Dental Chairs and Units | As per specification | 5 | 5 |
|-------------------------|----------------------|---|---|

DEPARTMENT : PERIODONTOLOGY

| Name | Specification | Quantity | |
|--------------------------------------|--|----------|-----------|
| | | Required | Available |
| Dental Chairs and Units | As per specification | 34 | 34 |
| | Note: Atleast 25% of the units should have the Airpolisher. | | |
| Scaling instrument sets | | 10 | 10 |
| Surgical instrument sets | | 6 | 6 |
| Autoclave | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 3 | 3 |
| Ultrasonic scaler | Minimum capacity 13 liters with mesh bucket | 2 | 2 |
| Electro surgical cautery | | 1 | 1 |
| Needle burner with syringe cutter | | 6 | 6 |
| LASER | Soft tissue laser | 1 | 1 |
| Surgical motor with physio dispenser | | 1 | 1 |

DEPARTMENT : ORTHODONTICS

| Name | Specification | Quantity | |
|-------------------------|----------------------|----------|-----------|
| | | Required | Available |
| Dental Chairs and Units | As per specification | 18 | 18 |
| Unit mount scaler | | 5 | 5 |

5 PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU IN - 627 403.
TIRUNELVELI DISTRICT.

| | | | |
|-----------------------------------|--|----|----|
| Autoclave | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 2 | 2 |
| Ultrasonic Cleaner | Minimum capacity 13 liters with mesh bucket with digital timer | 2 | 2 |
| ORTHO LAB | | | |
| Plaster dispenser | One each for plaster and stone plaster | 2 | 2 |
| Vibrator | | 2 | 2 |
| Model Trimmer | | 2 | 2 |
| Micromotor – | heavy duty | 4 | 4 |
| Lathe | | 2 | 2 |
| X-ray viewers | | 2 | 2 |
| OPG with cephalostat | If available in radiology its is adequate. | 1 | 1 |
| Welders | | 4 | 4 |
| Blue Torch | | 1 | 1 |
| Base Formers | | 4 | 4 |
| Typodont | | 4 | 4 |
| Set of Pliers | | 10 | 10 |
| Welder with soldering attachments | | 1 | 1 |
| Hydro solder | | 1 | 1 |
| Typhodont articulator | With metal teeth wax rim of Class I, II, III | 4 | 4 |
| Pressure moulding machine | | 1 | 1 |

DEPARTMENT : PAEDIATRIC AND PREVENTIVE DENTISTRY

| Name | Specification | Quantity | |
|---|---|----------|-----------|
| | | Required | Available |
| Dental Chairs and Units | As per specification (Pedo chair preferred) | 20 | 20 |
| Autoclaves | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters. | 2 | 2 |
| Ultrasonic cleaner | Minimum capacity 13 liters with mesh bucket with digital timer | 2 | 2 |
| Needle Burner with syringe cutter | | 3 | 3 |
| Amalgamator | | 1 | 1 |
| Pulp Tester-Digital | | 1 | 1 |
| Rubber dam kit for pedo | | 5 | 5 |
| Apex locator | | 1 | 1 |
| Endo motor | With torque control HPs | 1 | 1 |
| Injectable gutta percha with condensation | | 1 | 1 |
| Radiovisiography | Digital intra X-ray system with pedo sensor and software | 1 | 1 |
| Intra Oral Camera | With high resolution | 1 | 1 |
| Scaling instruments | | 10 | 10 |
| Restorative instruments | | 10 | 10 |


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU 10 - 627 105.
TIRUNELVELI DISTRICT.

| | | | |
|---------------------|--------------------|----|----|
| Extraction forceps | | 10 | 10 |
| Intra-oral X-ray | | 1 | 1 |
| Automatic Developer | | 1 | 1 |
| Computer | Minimum Pentium IV | 1 | 1 |

| PEDO LAB | | | |
|-----------------------------------|--|---|---|
| Plaster dispenser | One each for plaster and stone plaster | 2 | 2 |
| Model Trimmer | With diamond disc | 1 | 1 |
| Model Trimer | Double disc one diamond and one carborandum disc | 1 | 1 |
| Welder with soldering attachments | | 1 | 1 |
| Vibrator | | 2 | 2 |
| Lab micro motor | Heavy duty with Hps | 3 | 3 |
| Dental Lathe | | 1 | 1 |
| Model Trimmer | | 1 | 1 |
| Steam cleaner | | 1 | 1 |
| Pressure moulding machine | | 1 | 1 |
| Carborandum Disc | | 1 | 1 |
| Diamond disc | | 1 | 1 |

DEPARTMENT : ORAL MEDICINE AND RADIOLOGY.

| Name | Specification | Quantity | |
|--|---|----------|-----------|
| | | Required | Available |
| | (Space allocation for each Dental chair 100 Sq Ft in all the Departments) | | |
| Dental Chairs and Units | As per specification | 12 | 12 |
| Panoramic X-Ray with Cephalometric | Preferably digital | 1 | 1 |
| Intra Oral X-ray Unit | 70 KV , 8mA, high frequency preferably Digital timer | 3 | 3 |
| Pulp testers | Digital | 3 | 3 |
| Automatic periapical X-ray Developer | | 1 | 1 |
| Automatic Panoramic with Cephalometric X-ray Developer | | 1 | 1 |
| X-ray viewer | For Panoramic and Cephalometric films | 2 | 2 |
| Radiovisiography | Digital Intra X-ray System with one Sensor and Software | 1 | 1 |
| General X-ray Unit | | 1 | 1 |
| Ortho Pantmograph | preferably digital | 1 | 1 |
| Automatic Developers/ Dark Room | | 2 | 2 |
| Lead aprons | | 2 | 2 |
| Lead Gloves | | 1 | 1 |
| X-ray Hangers | | 6 | 6 |
| X-ray viewers | | 2 | 2 |
| Diagnostic Kits | Mouth mirror, dental probe, college tweezers | 40 | 40 |


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 617 105.
TIRUNELVELI DISTRICT.

| | | | |
|-----------------------------------|--|---|---|
| Lead Screen | | 1 | 1 |
| Biopsy Kit | | 1 | 1 |
| Autoclave | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 2 | 2 |
| Computers | Minimum Pentium -IV | 1 | 1 |
| Intra Oral Camera | With High resolution | 1 | 1 |
| Needle Burner with Syringe Cutter | | 2 | 2 |

DEPARTMENT: PUBLIC HEALTH DENTISTRY

| Name | Specification | Quantity | |
|-----------------------------------|--|----------|-----------|
| | | Required | Available |
| Dental Chairs and Units | As per specification | 16 | 16 |
| Autoclaves | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters. | 2 | 2 |
| Ultrasonic cleaner | Minimum capacity 13 liters with mesh bucket with digital timer | 2 | 2 |
| Needle burner with syringe cutter | | 4 | 4 |
| MOBILE CLINIC | | | |
| Mobile dental van | Mobile dental van with two dental chairs with all the attachments and adequate sitting space for 15 to 20 people | | |
| Dental chair with unit | Hydraulically operated with spittoon attachment, halogen light with 2 intensity, air ventury suction, airrotor, micromotor, 3 way-scaler and light cure, x-ray viewer, instrument tray, operating stool. | | |
| Autoclaves | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters. | 1 | 1 |
| Intraoral x-ray | Portable, 70 KV, 8mA | 1 | 1 |
| Glass bead sterilizers | | 1 | 1 |
| Compressor | 1.25HP | 1 | 1 |
| Metal Cabinet | With wash basin | 1 | 1 |
| Portable dental chair | Suitcase unit with airrotor, micromotor, scaler and compressor 0.25HP | 2 | 2 |
| Stabilizer | 4KV | 1 | 1 |
| Generator | 4KV | 1 | 1 |
| Water tank | 400ltrs | 1 | 1 |
| Oxygen cylinder | | 1 | 1 |
| Public address system | | 1 | 1 |
| TV and video cassette player | | 1 | 1 |
| Demonstration models | | | |

Signature

PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Whether all the above-mentioned equipments are functioning?
 Yes

Whether detailed list of equipments as furnished by the college : Yes
 authority is attached

XIII. CONSTRUCTED AREA

DENTAL COLLEGE BUILDING

Total Constructed Area Required: 1,00,000 Sq.ft.

| FLOOR | AREA (sqft) | CLINICAL FACILITIES | ACADEMIC DEPARTMENTS | ADMIN / LOGISTICS / SUPPORT | MAJOR FACILITIES |
|----------|-------------|---------------------|----------------------|-----------------------------|------------------|
| Basement | | | | | |
| Ground | 76677 | 54021 | 9155 | | |
| First | 61458 | 52955 | 10221 | | |
| Second | 61458 | 10180 | 52996. | | |
| Third | | | | | |
| Fourth | | | | | |
| Other | | | | | |
| TOTAL | 199594 | AREA (sq.ft.) | | | |

HOSTEL FOR BOYS & GIRLS

Whether the building of Hostels for Boys & Girls is separate from : Yes
 the dental college building and staff quarters

Whether Hostels for Boys & Girls are within the campus : Yes

Whether hostel is shared by other colleges/ institutions : Yes

INFRASTRUCTURE & FUNCTIONAL REQUIREMENTS

| Infrastructure | Requirement | Availability |
|-----------------------------------|--------------|--------------|
| Administrative block | 3000 sq. ft. | 5500 Sq.ft. |
| Library | 8000 sq. ft. | 9000 Sq.ft. |
| Lecture Halls - 4 | 6400 sq. ft. | 7900 Sq.ft. |
| Central Stores | 800 sq. ft. | 2000 Sq.ft. |
| Maintenance room | 1000 sq. ft. | 1000 sq. ft. |
| Photography and artist room | 400 sq. ft. | 600 sq. ft. |
| Medical Stores | 300 sq. ft. | 500 sq. ft. |
| Amenities area | 3200 sq. ft. | 5000 sq. ft. |
| Compressor and room for gas plant | 300 sq. ft. | 300 sq. ft. |

PRINCIPAL
 RAJAS DENTAL COLLEGE & HOSPITAL
 KAVALKINARI IN - 627 105.
 TIRUNELVELI DISTRICT

| | | |
|--|--------------|---------------|
| Cafeteria | 1500 sq. ft. | 2500. sq. ft. |
| Examination hall | 3600 sq. ft. | 5000. sq. ft. |
| Auditorium (To accommodate at least 500 people) | | 1000 people |
| Laboratories (Dental Subjects) | | Adequate. |
| Pre-clinical Prosthodontics and dental material lab | 3000 sq. ft. | 3785. sq. ft. |
| Pre-clinical conservative lab | 2500 sq. ft. | 3235. sq. ft. |
| Oral biology and oral pathology lab | 2500 sq. ft. | 3160. sq. ft. |
| Laboratory for orthodontics and Pedodontics | 1500 sq. ft. | 3620. sq. ft. |
| Laboratories (Medical Subjects) | | Adequate. |
| (only for independent dental colleges) | 7500 sq. ft. | 6900. sq. ft. |
| Anatomy dissection hall with storage for cadavers, osteology, demonstration room etc. | 2500 sq. ft. | |
| One laboratory for physiology and pathology and microbiology with stores and preparation rooms for individual subjects attached to it. | 2500 sq. ft. | 4000. sq. ft. |
| Laboratory for biochemistry and pharmacology with store and preparation rooms separately for both subjects | 2500 sq. ft. | 3500. sq. ft. |
| Laboratories (Clinical) | | |
| Prosthodontics | 2500 sq. ft. | 3400. sq. ft. |
| Conservative Dentistry | 600 sq. ft. | 2200. sq. ft. |
| Oral pathology for histopathology | 600 sq. ft. | 1000. sq. ft. |
| Haematology and clinical biochemistry | 300 sq. ft. | 500. sq. ft. |


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU IN - 627 105.
TIRUNELVELI DISTRICT