

View Anti Ragging Report

Annexure -II

Proforma for monitoring the directions of Hon'ble Supreme Court of India on measures against Ragging in educational Institutions.

College Name : Rajas Dental College & Hospital
 Address : KAVALKINARU JUNCTION TIRUNELVELI DISTRICT
 Telephone No. : 0463723190
 Name of Principal/Dean : Dr.ALEX MATHEWS MURUPPEL
 Contact No : 8903939333
 Email : principal@rajasdentalcollege.e
 1. Whether AntiRagging squads were constituted? : YES
 2. Whether Anti Ragging Committe were constituted : YES
 3. Whether Prospectus mention possible action against Ragging. : YES
 Prospectus are attached
 4. Whether names, telephone no's of authorities contacted have been publicized/made available to freshers : YES


Name	Designation	Contact No
Dr.Antony Selvi,M.Sc.Ph.D.,	Professor and HOD	9442360859

 5. Whether students are allowed free access to phone(cell & Land line)in hoste? : YES
 Common Landline, Common Helpline are available in the Warden office and individual cell phones are allowed in particulars times inside the hostel permises.
 6. Whether Seniors counseled? : YES
 7. Whether Freshers counseled? : YES
 8. Whether Orientation Courses for Freshers Conducted? : YES
 Instructions for General Information in connection with discipline, punctuality, respect and money dealing and common lectures for the dental subjects in essay way to the students.
 9. Anti Ragging Squads : 04 Oct 2017
 (a)Date of Information
 (b)Name of member and their contact nos : Name Contact No

Dr.I.Packiaraj,MDS	9443173903
Dr.S.Antony Selvi, MSc.,Ph.D.,	9442360859
Dr.D.Angeline Deepthi,MDS	9994619957

 (c)No.of Raids : 12
 (d)Frequence of raids : 2 per month
 (e)Other measures taken by the squad : Nil
 (f)No.of cases detected : Nil
 (g)Action taken by follow up : Nil





 PRINCIPAL
 RAJAS DENTAL COLLEGE & HOSPITAL
 KAVALKINARU JN - 627 105.
 TIRUNELVELI DISTRICT.

10. Anti Ragging Committee : 04 Oct 2017
 (a) Date of Information
- (b) Name of member and their contact nos : Name Contact No
 Dr.I.Packiaraj,MDS 9443173903
 Dr.S.Antony Selvi, MSc.,Ph.D., 9442360859
 Dr.D.Angeline Deepthi,MDS 9994619957
 Dr.K.Aruna,M.Sc.,Ph.D., 9865554246
 Dr.J.Dinakar,MDS., 9843129572
 Dr.V.Thirumalai,M.Sc.,Ph.D., 8870028757
 Mr.S.Sahaya Benz,M.A.,M.A.,M.Phil.,PGDELT., 9597117735
- (c) No. of Raids : 12
 (e) Frequency of raids : 2 per month
 (f) Other measures taken by the squad : Nil
 (g) No. of cases detected : Nil
 (h) Action taken by follow up : Nil
11. Enquiry(ies) Conducted : Nil
 12. Punishment meted out : Nil
 13. No. of F.I.R(S) lodged by institution with details : 0
 14. Whether Undertaking received from all the student before the admission?(as per Annexure I,Part I) : Each student undertaking will be given with prescribed format with students signature YES
 15. Whether Undertaking received from all the parent/Gardian before the admission?(as per Annexure I,Part I) : Each student undertaking will be given with prescribed format with students signature YES

Principal
 Rajas Dental College & Hospital




 PRINCIPAL
 RAJAS DENTAL COLLEGE & HOSPITAL
 KAVALKINARU JN - 627 105.
 TIRUNELVELI DISTRICT.

தமிழ்நாடு தீயணைப்பு-மீட்புப் பணித்துறை

படிவம்-41

ஓ.மு.எண். 3208/இ/2021

நாள். 23.02.2022

மாவட்ட அலுவலர் அலுவலகம்,
தீயணைப்பு-மீட்பு பணிகள்,
திருநெல்வேலி மாவட்டம்.

தடையின்மைச் சான்று

- பொருள் தீயணைப்பு- மீட்புப்பணித் துறை - திருநெல்வேலி மாவட்டம் - மருத்துவமனை கட்டிடங்கள் சட்டமும் விதிகளும் - தீஅபாயமிக்க இடங்களுக்கு தடையின்மைச்சான்று வழங்குதல்.
- பார்வை 1) Chairman, Rajas Dental College & Hospital, Kavalkinaru Junction, திருநெல்வேலி மாவட்டம் என்பாரது விண்ணப்பம்
- 2) திருநெல்வேலி உதவி மாவட்ட அலுவலரது ஆய்வறிக்கை ந.க.எண்.36/உ.மா.அ/2022 நாள்.23.02.2022.


திருநெல்வேலி மாவட்டம், இராத்தாபுரம் வட்டம், காவல்கிணறு கிராம பஞ்சாயத்து, காவல்கிணறு சந்திப்பு, கதவு எண் 9/140 A, மெயின் ரோடு, சர்வே எண். 1965, 1967 மற்றும் 1970 என்ற முகவரியில் உள்ள இடம் 22.02.2022 அன்று திருநெல்வேலி உதவி மாவட்ட அலுவலரால் ஆய்வு செய்யப்பட்டது.

அவ்விடத்தில் தரைதளம், முதல்தளம் மற்றும் இரண்டாம் தளம் (G+2) மட்டும் கொண்ட கட்டிடத்தில் "Rajas Dental College & Hospital" என்ற பெயரில் பல் மருத்துவ கல்லூரி மற்றும் மருத்துவமனை நடத்த கீழ்க்கண்ட நிபந்தனைகளுக்குட்பட்டு தீயணைப்பு-மீட்புப் பணித்துறையின் தடையின்மைச் சான்று வழங்கலாகிறது.

நிபந்தனைகள்

- 1) மேல்நிலை நீர்தேக்க தொட்டி மற்றும் தரைமட்ட நீர்தேக்க தொட்டி ஆகியவற்றில் எந்நேரமும் நீர்நிர்ப்பி அவசர காலங்களில் பயன்படுத்த தயார் நிலையில் இருக்க வேண்டும்.
- 2) தீயணைப்பாளர்கள் காலமுறையாக மறுநிரப்பம் செய்தும் தீவாளிகள் எந்நேரமும் பயன்படுத்தும் வகையில் இருக்க வேண்டும்.
- 3) முதல்தளம் பெட்டிகள் அவசர காலத்தில் பயன்படுத்த தயார் நிலையில் வைக்க வேண்டும்.
- 4) வராண்டா / நடைபாதை ஆகியவற்றில் தேவையற்ற பொருட்களை தடை ஏற்படும் வகையில் வைக்காமல் காலியாக விடப்பட வேண்டும்.
- 5) பக்கதிறவிடங்கள் அவசர கால ஊர்தி மற்றும் நோயாளர் ஊர்தி எளிதில் அணுகும் வகையில் காலியாக விடப்பட வேண்டும்.
- 6) வாட்ச்மேன்கள் மற்றும் பணியாளர்களுக்கு தீயணைப்பு உபகரணங்களை கையாளுவதற்கு காலமுறையாக பயிற்சி அளிக்கப்பட வேண்டும்.
- 7) ஆறு மாதங்களுக்கு ஒரு முறை அவசர கால ஒத்திகை பயிற்சி (Mock Drill) நடத்தப்பட வேண்டும்.
- 8) NBC 2016 part IV ல் குறிப்பிடப்பட்டுள்ள தீப்பாதுகாப்பு மற்றும் உயிர் பாதுகாப்பு முன்னெச்சரிக்கை விதிகளை தவறாது பின்பற்றப்பட வேண்டும்.
- 9) இத்தடையின்மைச் சான்று வழங்கப்பட்ட நாளிலிருந்து ஓராண்டுக்கு செல்லத்தக்கதாகும்.

அலுவலக முத்திரை



மாவட்ட அலுவலர்,
தீயணைப்பு-மீட்புப்பணித்துறை,
திருநெல்வேலி மாவட்டம்.

23/02/2022

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 10
TIRUNELVELI DISTRICT

பெறுநர் : Chairman, Rajas Dental College & Hospital, Kavalkinaru Jn, Tirunelveli District.

படி: துணை இயக்குநர், தீயணைப்பு-மீட்புப் பணித்துறை, தென்மண்டலம், மதுரை.

தமிழ்நாடு தீயணைப்பு-மீட்புப் பணித்துறை

படிவம்-41

ஓ.மு.எண். 3209/இ/2021

நாள். 06.01.2022

மாவட்ட அலுவலர் அலுவலகம்,
தீயணைப்பு -மீட்பு பணிகள்,
திருநெல்வேலி மாவட்டம்.

தடையின்மைச்சான்று

பொருள்

தீயணைப்பு மீட்புப்பணித் துறை - திருநெல்வேலி மாவட்டம் - கட்டிடங்கள் சட்டமும் விதிகளும் - தீஅபாயமிக்க இடங்களுக்கு தடையின்மைச்சான்று வழங்குதல்.

பார்வை.

- 1) Tirunelveli District, Kavalkinaru Junction, Rajas Medical Institutions, Chairman என்பவரது விண்ணப்பம்.
- 2) 29.12.2021 நாளிட்ட வள்ளியூர் நிலைய அலுவலரது கடித ந.க.எண். 557/2021.


திருநெல்வேலி மாவட்டம், இராதாபுரம் தாலுகா, காவல்கிணறு சந்திப்பு, திருராஜபுரம், நாகர்கோவில் ரோடு, க.எண். 9/140-A என்ற முகவரியில் உள்ள இடம் 27.12.2021 அன்று வள்ளியூர் நிலைய அலுவலரால் ஆய்வு செய்யப்பட்டது.

அவ்விடத்தில் தரைதளம், முதல்தளம் மற்றும் இரண்டாம்தளம் (G+2) கொண்ட கட்டிடத்தில் "Berchmen's Boys Hostel" என்ற பெயரில் மாணவர்கள் தங்கும் விருதி நடத்த கீழ்க்கண்ட நிபந்தனைகளுக்குட்பட்டு தீயணைப்பு-மீட்புப் பணித்துறையின் தடையின்மைச்சான்று வழங்கலாகிறது.

நிபந்தனைகள்

- 1) மேல்நிலை நீர்தேக்க தொட்டியில் எந்நேரமும் நீர் நிரப்பி அவசர காலங்களில் பயன்படுத்த தயார் நிலையில் இருக்க வேண்டும்.
- 2) தீயணைப்பாளர்கள் குறைந்தபட்சம் நான்கு வீதம் தயார் நிலையில் வைக்கப்பட வேண்டும்.
- 3) முதலுதவி பெட்டிகள் அவசர காலத்தில் பயன்படுத்த தயார் நிலையில் வைக்க வேண்டும்.
- 4) வராண்டா / நடைபாதை ஆகியவற்றில் தேவையற்ற பொருட்களை தடை ஏற்படும் வகையில் வைக்காமல் காலியாக விடப்பட வேண்டும்.
- 5) பக்கதிறவிடங்கள் அவசர கால ஊர்தி மற்றும் நோயாளர் ஊர்தி எளிதில் அணுகும் வகையில் காலியாக விடப்பட வேண்டும்.
- 6) வாட்ச்மேன் மற்றும் பணியாளர்களுக்கு தீயணைப்பு, உபகரணங்களை கையாளுவதற்கு காலமுறையாக பயிற்சி அளிக்கப்பட வேண்டும்.
- 7) இத்தடையின்மைச் சான்று வழங்கப்பட்ட நாளிலிருந்து ஓராண்டுக்கு மட்டும் செல்லத்தக்கதாகும்.

அலுவலக முத்திரை



மாவட்ட அலுவலர்,
தீயணைப்பு-மீட்புப்பணித்துறை,
திருநெல்வேலி மாவட்டம்.

PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105
TIRUNELVELI DISTRICT.

பெறுநர் : Chairman, Rajas Medical Institutions, Kavalkinaru Junction, Tirunelveli District-627105.

படி : துணை இயக்குநர், தீயணைப்பு-மீட்புப் பணித்துறை, தென்மண்டலம், மதுரை.

தமிழ்நாடு தீயணைப்பு மற்றும் மீட்புப்பணித்துறை

படிவம்-41

(ஆணை எண் 250(3))

ஓ.மு.எண்.3207/இ/2021

நாள். 14.12.2021

மாவட்ட அலுவலர் அலுவலகம்,
தீயணைப்பு -மீட்பு பணிகள்,
திருநெல்வேலி மாவட்டம்.

தடையின்மைச் சான்று

பொருள் தீயணைப்பு மீட்புப்பணித் துறை - திருநெல்வேலி மாவட்டம் -
கட்டிடங்கள் சட்டமும் விதிகளும் - தீஅபாயமிக்க இடங்களுக்கு
தடையின்மைச் சான்று வழங்குதல்.

- பார்வை. 1) 09.12.2021 நாளிட்ட சேர்மன், ராஜாஸ் மெடிக்கல்
இன்ஸ்டிடியூசன்ஸ், காவல்கிணறு, திருநெல்வேலி மாவட்டம்
என்பாரது விண்ணப்பம்.
2) 13.12.2021 நாளிட்ட வள்ளியூர் நிலைய அலுவலரது கடித
ந.க.எண். 521/2021.


திருநெல்வேலி மாநகரம், ராதாபுரம் தாலுகா, காவல்கிணறு சந்திப்பு. க.எண்.9/140D
திருராஜபுரம், நாகர்கோவில் ரோடு என்ற முகவரியில் உள்ள இடம் 09.12.2021 அன்று வள்ளியூர் நிலைய
அலுவலரால் ஆய்வு செய்யப்பட்டது.

அவ்விடத்தில் தரைதளம், முதல்தளம் மற்றும் இரண்டாம்தளம் (G+2) கொண்ட
கட்டிடத்தில் "St.Alphonsa Ladies Hostel" என்ற பெயரில் மாணவியர் தங்கும் விடுதி நடத்த
கீழ்க்கண்ட நிபந்தனைகளுக்குட்பட்டு தீயணைப்பு-மீட்புப் பணித்துறையின் தடையின்மைச் சான்று
வழங்கலாகிறது.

நிபந்தனைகள்

- 1) மேல்நிலை நீர்தேக்க தொட்டியில் எந்நேரமும் நீர் நிரப்பி அவசர காலங்களில் பயன்படுத்த
தயார் நிலையில் இருக்க வேண்டும்.
- 2) தீயணைப்பாளர்கள் குறைந்தபட்சம் நான்கு வீதம் தயார் நிலையில் வைக்கப்பட வேண்டும்.
- 3) முதல்தள பெட்டிகள் அவசர காலத்தில் பயன்படுத்த தயார் நிலையில் வைக்க வேண்டும்.
- 4) வராண்டா / நடைபாதை ஆகியவற்றில் தேவையற்ற பொருட்களை தடை ஏற்படும் வகையில்
வைக்காமல் காலியாக விடப்பட வேண்டும்.
- 5) பக்கதிறவிடங்கள் அவசர கால ஊர்தி மற்றும் நோயாளர் ஊர்தி எளிதில் அணுகும் வகையில்
காலியாக விடப்பட வேண்டும்.
- 6) வாட்ச்மேன் மற்றும் பணியாளர்களுக்கு தீயணைப்பு உபகரணங்களை கையாளுவதற்கு
காலமுறையாக பயிற்சி அளிக்கப்பட வேண்டும்.
- 7) இத்தடையின்மைச் சான்று வழங்கப்பட்ட நாளிலிருந்து ஓராண்டுக்கு மட்டும்
செல்லத்தக்கதாகும்.

அலுவலக முத்திரை



மாவட்ட அலுவலர்,
தீயணைப்பு-மீட்புப்பணித்துறை,
திருநெல்வேலி மாவட்டம்.



RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

பெறுநர் : சேர்மன், ராஜாஸ் மெடிக்கல் இன்ஸ்டிடியூசன்ஸ், காவல்கிணறு சந்திப்பு,
திருநெல்வேலி மாவட்டம்-627 105.

நகல் : துணை இயக்குநர், தீயணைப்பு-மீட்புப் பணித்துறை, தென்மண்டலம், மதுரை.

பதிவு தபால் மூலம்:-

ஒ.மு.எண். / 2022 / 154 / 2022
15

துணை இயக்குநர் சுகாதாரப் பணிகள்
அலுவலகம், திருநெல்வேலி.

நாள்: 15.2.2022

பொருள்: பொது சுகாதாரம் - 2021-2022 -ம் ஆண்டிற்கான
சுகாதாரச் சான்றிதழ் வழங்குதல் - சம்பந்தமாக.

பார்வை: 1.பள்ளி / கல்லூரி தாளாளர் ஜி.ராஜ் லக்ஷ்மி Anbarasi
அனுப்பிய அனுப்பிய சான்றிதழ்
நாள்:

2.வட்டார சுகாதார மேற்பார்வையாளர், அரசு ஆரம்ப சுகாதார
நிலையம் திருநெல்வேலி ஆய்வு அறிக்கை
இவ்வலுவலகத்திற்கு வரப்பெற்ற நாள்:

* * *

பார்வையில் கண்ட கடிதத்தின்படி ஜி.ராஜ் லக்ஷ்மி Anbarasi 2021-2022-ம்
ஆண்டிற்கான சான்றிதழ் சுகாதார சான்றிதழ் ஒப்புதல் அளித்து,
இக்கடிதத்துடன் இணைத்து அனுப்பப்படுகிறது. சான்றிதழ் பெற்றுக்
கொண்டதற்கான விவரத்தினை மறு தபாலில் இவ்வலுவலகத்திற்கு அனுப்பி
வைக்கும்படி கேட்டுக் கொள்ளப்படுகிறது.

இணைப்பு:- சுகாதார சான்றிதழ்.

துணை இயக்குநர் சுகாதாரப் பணிகள்
திருநெல்வேலி.
15.2.2022

பெறுநர்

ஜி.ராஜ் லக்ஷ்மி Anbarasi

அனுப்பிய அனுப்பிய

சான்றிதழ்

Pin-627105

PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105
TIRUNELVELI DISTRICT.



L.Dis.No. 12893/A4/2021 O/o Deputy Director Of Health Services,

Tirunelveli

Dt 15/2/2022

SANITARY CERTIFICATE FOR HOSTEL

Taluk : RADHAPURAM

District : Tirunelveli

Block : Vallioor


CERTIFICATE FOR THE YEAR 2022

I hereby declare that I have inspected the St. Berchman's Boys Hostel, Kavalkinaru Junction, Vallioor Block, Radhapuram Taluk building and premises on 22-01-2022 and certify that the accommodation provided for each rooms is sufficient for the maximum students in and is properly ventilated and lighted, that the building is maintained in substantial repairs, that it is neat and clean that the latrine arrangements are adequate and satisfactory, that the supply of drinking water is whole some and that in all other necessary aspects the sanitation is Good.


This Certificate is Valid from January 2022 to December 2022

Sanitary Certificate is issued with the following conditions prescribed in the Annexure enclosed.

Counter signed based on the inspection report of Block Health Supervisor concerned.


22/01/2022
BLOCK HEALTH SUPERVISOR
GOVT. PRIMARY HEALTH CENTRE
VADAKANKULAM-627 116
TIRUNELVELI-DIST.


The Deputy Director of Health Services
Tirunelveli


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



ANNEXURE

1. The Hostel premises must be kept neat and clean always.
2. Toilets and Urinals must be kept Hygienically clean and Adequate water Supply should be provided.
3. Provide safe drinking water to the Pupils and Staff.
4. ~~Keep the premises free from mosquito breeding sources.~~
5. There shall not be any charred structure in the premises.
6. The Building maintain Repairs should be done when their Immediately.
7. Soapstand with Soap should be provided in all the toilets.
8. Napkin basket should be provided in Ladies toilet.
9. If any communicable diseases or Suspected diseases found in the premises, immediately inform the same to the concerned PHC Medical Officer.
10. Sanitary Certificate may be Cancelled if any discrepancies or Deviations
11. No other Specific Conditions



[Signature]

20.01.2022
BLOCK HEALTH SUPERVISOR
GOVT. PRIMARY HEALTH CENTRE
VADAKANKULAM-627 116
TIRUNELVELI DIST.

[Signature]
PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU IN TIRUNELVELI DISTRICT.

L.Dis.No. 12893/A4/2021 O/o Deputy Director Of Health Services,
Tirunelveli

Dt: 15.2.2022

SANITARY CERTIFICATE FOR HOSTEL

Taluk : RADHAPURAM

District : Tirunelveli

Block : Vallioor


CERTIFICATE FOR THE YEAR 2022

I hereby declare that I have inspected the St.Berchman's Boys Hostel, Kavalkinaru Junction, Vallioor Block, Radhapuram Taluk building and premises on 22.01.2022 and certify that the accommodation provided for each rooms is sufficient for the maximum students in and is properly ventilated and lighted, that the building is maintained in substantial repairs, that it is neat and clean that the latrine arrangements are adequate and satisfactory, that the supply of drinking water is whole some and that in all other necessary aspects the sanitation is Good.

This Certificate is Valid from January 2022 to December 2022

Sanitary Certificate is issued with the following conditions prescribed in the Annexure enclosed.


Counter signed based on the inspection report of Block Health Supervisor concerned.


22.01.2022
BLOCK HEALTH SUPERVISOR
GOVT. PRIMARY HEALTH CENTRE
VADAKANKULAM-627 116
TIRUNELVELI DIST.

The Deputy Director of Health Services

Tirunelveli




RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

பதிவு சபால் மலம்:-

உரு.எண். 1631/அ15/2022

துணை இயக்குநர் சுகாதாரப் பணிகள்
அலுவலகம், திருநெல்வேலி.

நாள் 27.06.2022

பொருள்: பொது சுகாதாரம், 2021-2022 -ம் ஆண்டிற்கான
சுகாதாரச் சான்றிதழ் வழங்குதல் - சம்பந்தமாக.

பார்வை: 1.பள்ளி / கல்லூரி தாளாளர் *Raja Dental College & Hospital, Kaval Kinari*

நாள்:

2.வட்டார சுகாதார மேற்பார்வையாளர், அரசு ஆரம்ப சுகாதார
நிலையம் *Kaval Kinari*..... ஆய்வு அறிக்கை
இவ்வலுவலகத்திற்கு வரப்பெற்ற நாள்:

பார்வையில் கண்ட கடிதத்தின்படி *Raja Dental College & Hospital*, 2021-2022-ம்

ஆண்டிற்கான *check list* சுகாதார சான்றிதழ் வப்பதல் அளித்து,
இக்கடிதத்தின் இணைத்து அனுப்பப்படுகிறது. சான்றிதழ் பெற்றுக்
கொண்டதற்கான விவரத்தினை மறு தபாலில் இவ்வலுவலகத்திற்கு அனுப்பி
வைக்கும்படி கேட்டுக் கொள்ளப்படுகிறது.

நிபந்தனைகள்:-

பெங்கு, புகைபிடித்தல், கோவிட்-19 விளம்பர பதாகை வைக்கப்பட வேண்டும்.

இணைப்பு:- சுகாதார சான்றிதழ்.

துணை இயக்குநர் சுகாதாரப் பணிகள்
திருநெல்வேலி.

பெறநர்

Chairman
Raja Dental College & Hospital
Kaval Kinari
Tirunelveli Dist
Pfn - 627105



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



SANITARY CERTIFICATE

Ref.L.Dis.No. 6631/A15/2022

O/o Deputy Director of Health Services, Tirunelveli

Dt: 27.6.2022

THE TAMILNADU EDUCATIONAL RULES CHAPTER - III

(Rule 24 & Appendix-3)

I here by declare that I have the caused to inspect the building and premises of **Rajas Dental College & Hospital**, Kavalkinaru Junction, Vallioor Block Radhapuram Taluk, Tirunelveli District on 22.06.2022 and certify that the accommodation provided for each of the several classes is sufficient for the maximum number of pupile taught therein and the rooms are properly ventilated and lighted. That the building is maintained with substaintial repairs, and is neat and clean that the latrine arrangements are adequate and satisfactory that in all other necessary aspects the sanitation is good.

This certificate valid from Date of issued to 31.5.2023

Certificteis issued with the following conditions

1. Establishing hand wash facilities at the Entrance.
2. Maintaining social distancing in all places.
3. Practicing cough etiquette properly.
4. Floors and frequently touched surfaces should be disinfected as per the infection prevention control guidelines.
5. Environment and campus should be kept clean and neat and should be free from dengue Ades larva.
6. Provide safe and protected drinking water.
7. First aid box should be maintained with drugs properly.
8. Tobacco prohibition board should be displayed as per COTPA 2003 Act.

Countersigned on the basis of the BHS inspection finding.

22.6.2022
BLOCK HEALTH SUPERVISOR
GOVT. PRIMARY HEALTH CENTRE
VADAKANKULAM-627 116
TIRUNELVELI DIST.

Deputy Director of Health Services
Tirunelveli.



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



TAMILNADU POLLUTION CONTROL BOARD

RENEWAL OF CONSENT ORDER NO:2109239545167

DATE:07/07/2021

PROCEEDINGS NO.F.0602TNV/OS/DEE/TNPCB/TNV/A/2021 DATED: 07/07/2021

Sub :	Tamil Nadu Pollution Control Board – AUTO RENEWAL OF CONSENT –M/s. RAJAS DENTAL COLLEGE HOSPITAL , S.F. No. 1965 to 1970, PERUNGUDI PART 1 village, Radhapuram Taluk and Tirunelveli District- Renewal of Consent for operation of the plant and discharge of emissions under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) – Issued – Reg.
Ref :	1.CTO's.Proc.No.F.TNV 1114/A/2011 Dated:27.06.2011. 2.RCO's.Proc.No.F.0602TNV/OS/DEE/TNPCB/TNV/A/2019 Dated:30.08.2019. 3.Unit's application No.39545167 Dated:16.06.2021. 4.Minutes of the 249th DLCCC meeting held on 05.07.2021 (Vide Item No.DLCCC 249-021).

Renewal of Consent is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Managing Director,
M/s . RAJAS DENTAL COLLEGE HOSPITAL
S.F No. 1965 to 1970,
PERUNGUDI PART 1 Village,
Radhapuram Taluk,
Tirunelveli District.

Authorizing the occupier to operate the industrial plant in the Air Pollution Control Area as notified by the Government and to make discharge of emission from the stacks/chimneys.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending - March 31, 2023



AROKIASAMY ROMALT
TERRIC PINTO FDO
District Environmental Engineer
Tamil Nadu Pollution Control Board
TIRUNELVELI

Digitally signed by AROKIASAMY
ROMALT TERRIC PINTO FDO
Date: 2021.07.08 22:36:04 +05:30

PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



SPECIAL CONDITIONS

TAMILNADU POLLUTION CONTROL BOARD

1. This renewal of consent is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl.No.	Description	Quantity	Unit
Product Details :-			
1.	Hospital	300	Nos
By-Product Details :-			
Intermediate Product Details :-			

2. This renewal of consent is valid for operating the facility with the below mentioned emission/noise sources along with the control measures and/or stack. Any change in the emission source/control measures/change in stack height has to be brought to the notice of the Board and fresh consent/Amendment has to be obtained

I Point source emission with stack :				
Stack No	Point Emission sources	Air pollution Control measures provided	Stack height from Ground Level in m	Gaseous Discharge in Nm ³ /hr
01	DG Set 125 KVA	Exhaust pipe	4	
II Fugitive/Noise emission :				
Sl.No.	Fugitive or Noise Emission sources	Type of Emission	Control measures provided	Quantity

Special Additional Conditions-

The unit shall install the approved retrofit emission control device/equipment with at least 70% Particulate matter reduction efficiency on all DG sets with capacity of 125 KVA and above or otherwise the unit shall be shift to gas based generators within the time frame prescribed in the notification No. TNPCB/Labs/DB(L)02151/2019 dated 10.06.2020 issued by TNPCB.

Additional Conditions-

1. The hospital shall adhere the Ambient Air Quality / Stack Monitoring / Ambient Noise Level standards prescribed by the Board.
2. The unit shall comply with the provisions of the Bio Medical Waste Management Rules, 2016 as amended.
3. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018 & G.O.(Ms).No.37, E & F Department dated 05.06.2020.

AROKIASAMY ROMALT
TERRIC PINTO FDO
District Environment Engineer,
Tamil Nadu Pollution Control Board,
TIRUNELVELI

Digitally signed by AROKIASAMY
ROMALT TERRIC PINTO FDO
Date: 2021.07.08 22:36:29 +05'30'

To
The Managing Director,
M/s.RAJAS DENTAL COLLEGE HOSPITAL
Thirurajapuram,
Kavalkinaru
Tirunelveli District.,
Pin: 627105



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Copy to:

1. The Commissioner, VALLIYUR-Panchayat Union, Radhapuram Taluk, Tirunelveli District.
2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, TIRUNELVELI for favour of



TAMILNADU POLLUTION CONTROL BOARD

RENEWAL OF CONSENT ORDER NO:2109139545167

DATE:07/07/2021

PROCEEDINGS NO.F.0602TNV/OS/DEE/TNPCB/TNV/W/2021 DATED: 07/07/2021

Sub :	Tamil Nadu Pollution Control Board – AUTO RENEWAL OF CONSENT – M/s. RAJAS DENTAL COLLEGE HOSPITAL S.F No. 1965 to 1970, PERUNGUDI PART 1 Village, Radhapuram Taluk, Tirunelveli District- Renewal of Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act-6 of 1974) – Issued- Reg.
Ref :	1.CTO's.Proc.No.F.TNV 1114/W/2011 Dated:27.06.2011. 2.RCO's.Proc.No.F.0602TNV/OS/DEE/TNPCB/TNV/W/2019 Dated:30.08.2019. 3.Unit's application No.39545167-Dated:16.06.2021. 4.Minutes of the 249th DLCCC meeting held on-05.07.2021 (Vide Item No.DLCCC 249-021).

Renewal Of Consent is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Managing Director,
M/s . RAJAS DENTAL COLLEGE HOSPITAL
S.F No. 1965 to 1970,
PERUNGUDI PART 1 Village,
Radhapuram Taluk,
Tirunelveli District.

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending - **March 31, 2023**



AROKIASAMY ROMALT Digitally signed by AROKIASAMY
TERRIC PINTO FDO. ROMALT TERRIC PINTO FDO
Date: 2021.07.08 22:37:13 +05'30'
District Environmental Engineer,
Tamil Nadu Pollution Control Board,
TIRUNELVELI

PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



SPECIAL CONDITIONS

TAMILNADU POLLUTION CONTROL BOARD

- 1. This renewal of consent is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Table with 4 columns: SI.No., Description, Quantity, Unit. Rows include Product Details (Hospital) and By-Product/Intermediate Product Details.

- 2. This renewal of consent is valid for operating the facility with the below mentioned permitted outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Table with 4 columns: Outlet No., Description of Outlet, Maximum daily discharge in KLD, Point of disposal. Rows include Effluent Type: Sewage and Trade Effluent.

Additional Conditions-

- 1. The unit shall treat the sewage through septic tank followed by dispersion trench/ Soak pit so as to satisfy the standards prescribed by the Board.
2. The unit shall ensure that the hospital liquid waste if generated is properly disinfected with sodium hypo chloride solution of adequate concentration specified under the Bio-Medical Waste Amendment Rules, 2018 before disposal.
3. The unit shall dispose the Bio Medical Waste through Common Bio-Medical Waste Treatment and Disposal Facility after obtaining authorization of the Board under the Bio Medical Waste Management Rule 2016.
4. The unit shall obtain authorization under Bio Medical Waste Management Rule, 2016 as amended immediately.
5. The unit shall comply the provisions of the Bio Medical Waste Management Rules, 2016.
6. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018.

AROKIASAMY ROMALT Digitally signed by AROKIASAMY ROMALT TERRIC PINTO FDO Date: 2021.07.08 22:37:42 +05'30' District Environmental Engineer, Tamil Nadu Pollution Control Board, TIRUNELVELI



PRINCIPAL - RAJAS DENTAL COLLEGE & HOSPITAL, KAVALKINARU JN - 627 105, TIRUNELVELI DISTRICT.

To The Managing Director, M/s.RAJAS DENTAL COLLEGE HOSPITAL, Thirurajapuram, Kavalkinaru, Tirunelveli District., Pin: 627105

Copy to:

- 1. The Commissioner, VALLIYUR-Panchayat Union, Radhapuram Taluk, Tirunelveli District.
2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information