

**THE TAMIL NADU
DR. MGR MEDICAL UNIVERSITY,
CHENNAI – 600 032.**



INSPECTION PROFORMA – B.D.S.

**FOR CONTINUANCE OF PROVISIONAL
AFFILIATION FOR CONDUCTING
FINAL YEAR B.D.S (RECOGNITION) -
INCREASE OF SEATS 100 ADMISSIONS**




**PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.**

THE TAMIL NADU DR.M.G.R. MEDICAL UNIVERSITY, CHENNAI - 600 032
BACHELOR OF DENTAL SURGERY (B.D.S.) DEGREE COURSE
TO ISSUE OF CONTINUANCE OF PROVISIONAL OF AFFILIATION FOR
DENTAL COLLEGE (FINAL B.D.S & RECOGNITION) – 100 ADMISSIONS

INSPECTION REPORT

I	Name of the Convenor with Designation and Address, Mobile No.	
	Names of Member(s) with Designation and Address, Mobile No.	
II	University Letter No. & date in which the Inspection Commission Constituted	Lr.No. Rc.No.Affln.IV(2)/01185/2023 Date : 03.05.2023
III	Date of Inspection	17.05.2023 & 18.05.2023
IV	ORGANISATION APPLYING FOR PERMISSION	
	a) State Government	-
	b) University	-
	c) An autonomous body promoted by the Central / State Government	-
	d) A society registered under the Societies Registration Act, 1860 (21 of 1860) or corresponding enactments in States; or Public religious or Charitable Trust registered under the Trust Act 1882 (2 of 1882) or the Wakf Act 1954 (29 of 1954)	Religious & Charitable Trust Reg.No.712 of 1985 Dt: 10.05.1983
V	DETAILS	
1.	a. Name of the Managing Trustee and Name of the Society / Trust and its full registered address with telephone Numbers (Telex No., Fax No., e-mail No.)	Dr.Jacob Raja,MDS,FIDA., Selvam Educational & Charitable Trust, Vadakkankulam-627116. 04637-230142
	b. Enclose trust details with audited accounts for the last 3 years.	Copy of the Trust Deed & Audited Accounts for the last three years are Enclosed .
2.	Name of the other courses run by the Trust	Nursing & Pharmacy.
3.	Name of the proposed Dental College Full Address of the Dental College with Telephone, Fax No. & e-mail ID	Rajas Dental College & Hospital Kavalkinaru. Jn-627105. Tirunelveli District 04637-231905,231367 info@rajasdentalcollege.com principal@rajasdentalcollege.com
4.	Name of the Principal of the Dental College	Dr.Alex Mathews Muruppel



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

5.	Name and details of authorities representing the Management present at the time of Inspection	Dr.Jacob Raja,MDS,FIDA Chairman, Rajas Medical Institutions
VI	PERMISSION LETTERS	
1.	State Govt. Permission / Essentiality Certificate	Lr.No: NIL Dt. from the year :
2.	Name of the MCI recognized Medical College Attached to Proposed Dental College (MOU signed by competent Authorities between Medical and Dental College for teaching purpose).	MOU Lr.No. Dt. -NA-
3.	Consent for affiliation issued by the University	Lr.No: Madurai Kamaraj University Dt. from the year :
4.	DCI /GOI's formal permission for starting the course	Lr.No: DE-3(44)-87/1400 Dt. 31.07.1987,from the year 1987-88 Copy of Order enclosed.
5.	State Govt. Permission for Minority Status	Enclosed vide G.O.No: R.C.No. B4/2788/2017 Dated 05.05.2023 year:2020-2025
6.	Provisional Affiliation issued by the University	Proc.No. Affln.IV(2)/02785/2018 Dt. 07.06.2019 Copy of Order Enclosed
7.	Year of commencement of the I BDS Degree course	From the year 1987-88 Copy of Order Enclosed
8.	Continuance of Provisional Affiliation issued by the University for last year with intake	1.Proc.No.CD1/FA/87-88 Dt.25.05.1989. Intake 50 Seats (MK Univ.) 2.Affln(2)/376/88 dt: 27.08.1991 The TN Dr. MGR Med. Univ.
9.	No. of students admitted in last year batch	First Year 81 Second Year 78 Third Year 74 Final Year 100
10	DCI/Govt. of India, New Delhi notification of the recognition of the Final BDS degree course conducted by the institution	Lr.No: 3(44)-93/2246 Dt. 09.11.1993
	INCREASE OF INTAKE, IF ANY :	
11	State Govt. Permission / Essentiality Certificate	Lr.No: Dt. from the year :



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

NUMBER OF CANDIDATES ADMITTED IN THE PREVIOUS YEAR			
Is the institution a Minority Institution:			
Provide necessary documents			
Category	No. Admitted	Date of admission	
		Commence	End
S.C.	12	October 2022	December 2022
S.T.	01		
Backward	57		
Merit	74		
Management	11		
Others	11		
Total	81		

Note : Where admission(s) has/have been done without the permission of the competent authority the reason thereof be given in each and every case separately duly certified by the Principal of the Institution

VII	LAND & INFRASTRUCTURE DETAILS (Sale Deed/ Lease Deed (not less than 30 years) - (Attested Copies of original documents must be attached)	
1.	Total Area of Land (Minimum 5 acres of land)	30.6 acres
2.	Year of Lease	Own Land
3.	Lease Valid Till (not less than 30 years – Lease Deed obtained from the Government authority)	NA
4.	Survey Numbers	1966/1A,B,1966/1A,1B,1D,1967/1A,1B,2,1968/1,2,1969/A2,1970/A1,A2
5.	Is the land contiguous and makes a single piece of land	Yes



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

6.	Approval Plans/ Land Use Conversion (Approved by LDA/ Municipality/ Competent Authority that the land does not attract the TN Urban Land Ceiling Act 1978, TN Town & Country Planning Act 1971, TN Land Reform Act 1961)	Yes
7.	Verification of Ownership from Land Records	Lr.No:3251,Dt.12.11.2002
8.	Total Constructed Area (in Sq.ft)	1,99,594 Sq.ft
9.	Whether Completion Certificate furnished from the competent authority	Yes, Dt. 15.02.2016
10.	Whether Pollution Control Board Certificate obtained	Yes Lr.No. 1909127205493, dt 30.08.2019
11.	Whether sewage treatment plant is available	Yes Lr.No. 1909127205493, dt 30.08.2019
12.	Whether Bio-Medical waste management is followed as per PCBI	Yes Lr.No. 82050, dt. 30.03.2011.
13.	Whether Hospital Waste Management (Bio-Waste incinerator) is available as per the 2018 regulations	Yes Lr.No. Date :
14.	Whether Fire and Safety Certificate obtained from the competent authority	Yes Lr.No. 8676/E/2019 , dt.08.11.2019
15.	Whether AERB Certificate for Equipments obtained from the competent authority	Yes Lr.No. 15-LOEE-70621, dt 19.11.2015
16.	Anatomical Act certificate from Director Medical Education (to be obtained from Medical College)	Yes / No Lr.No. 33182/21/1993, dt. 15.07.2009
17.	“Establishment of Tobacco Cessation Centers in Dental Institution – An Integrated Approach in India ---- Operational Guidelines 2018”	Yes
18	CCTV Camera :	
	OPD Registration Counter	Yes
	Bio-metric attendance registration	Yes
	Department of Conservative Dentistry and Endodontics	Yes
	lecture halls	Yes
	Examination Hall	Yes



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Note: Please ensure that all the land documents duly certified by the Revenue Authority have been checked by you

VIII MEDICAL COLLEGE ATTACHMENT: NA	
1.	Type Own Private Government
2.	Name & Address of the Medical College
3.	Name of the Principal/Dean
4.	Email address and contact number
5.	Medical College duly recognized by Medical Council of India Yes/No
6.	Distance from Dental college to Medical college by road in km (please clarify as to whether you have physically verified /taking the reading of Taxi/Car Meter by ticking yes or no) Yes?No
7.	Whether MOU is signed by competent Authorities between Medical and Dental College for teaching B.D.S & M.D.S. Course Students Yes/No
8.	Validity Period of MOU
9.	Whether the above mentioned Medical College has given attachment to any other Dental College other than the proposed dental college Yes/No

IX 100 BEDDED GENERAL HOSPITAL
(applicable if Medical College is more than 10 kms away).



[Handwritten Signature]


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.


Requirement of the 100 bedded General Hospital in accordance with the parameters prescribed by the Bureau of Indian Standards BIS/NABH with in the campus of the proposed Dental College		
1.	Type	Government General Hospital - yes
2.	Name of the Issuing Competent Authority Whether the permission of the attached 100 bedded hospital is issued by the competent authority?	Yes Lr.No. Annexure X Date:
3.	Name and Address of Hospital:	Government Hospital, Bhoothapandy
4.	Name of the Allopathic CMO with Tel No. & Mobile No.:	NA
5.	Distance of the hospital from the Dental College by Road in km (please clarify as to whether you have physically verified /taking the reading of Taxi/Car Meter by ticking yes or no)	Yes - 9.5KM
6.	Number of Beds in Hospital	Total : 101

Department	Required	Allotted
General Ward – Medical including allied specialities	30	30
General Ward –Surgical including allied specialities	30	30
Private Ward (A/C & Non A/c)	9	9
Maternity Ward	15	15
Paediatric Ward	6	6
Intensive Care Services (4% of bed strength)	4	4
Critical Care Services (6% of bed strength)	6	6

Area Requirements (As per Bureau of Indian Standards (BIS)/NABH)

	Required	Available
Covered Area	20 sq.m./bed	20 sq.m./bed
Inpatient Services	40%	40%




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Outpatient Services	35%	35%
Department and supportive services	25%	25%

Man Power Requirement**Medical Staff**

Designation	Required	Available
General Surgery	2	2
General Medicine	2	2
Obstetrics & Gynaecology	2	2
ENT	2	2
Paediatrics	2	2
Anaesthesia	2	2
Orthopaedics	2	2
Pharmacologist	1	1
Radiologist	1	1
GDMO	1	1
Community Medicine	1	1
Hospital Administration	1	1

Note: Medical teachers in all Medical Colleges except the Tutors, Residents, Registrars and Demonstrators must possess the requisite recognized Postgraduate Medical qualification in their respective subject.

The teachers in a medical college or institution having a total of 8 years teaching experience out of which at least 4 years teaching experience as Assistant Professor with two research publication in indexed journals gained after obtaining postgraduate degree qualification MD/MS in the concerned subject and as per the TEQ Regulation shall be recognized Post Graduate teacher in broad specialties.


Reader /Associate Professor (5 year Post PG experience) : A post graduate qualification MD/MS in the concerned subject and as per TEQ Regulation. As Assistant Professor in the subject for 4 years in a permitted/approved/recognized Medical college/institution with 2 Research Publication in Indexed Journals as Ist Author or as corresponding author.

Assistant Professor / Lecturer: A post graduate qualification MD/MS in the concerned subject and as per the TEQ Regulations. 3 years Junior Resident in a recognized medical college in the concerned subject and one year as Senior Resident in the concerned subject in a recognized Medical College / institution.

Nursing Staff

Designation	Required	Available
Matron	1	1
Sister Incharge	6	6




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

O.T. Nurses	6	6
General Nurses	20	20
Labour Room Nurses	4	4

Health Staff

Designation	Required	Available
Female Health Assistant	1	1
Extension Educator Paramedical Staff	1	1
Lab Technician/Blood Bank Tech	4	4
ECG Technician	1	1
Pharmacist	4	4
Sr. Radiographer	1	1
CSSD	2	2
Medical Records	1	1

Engineering Staff

Designation	Required	Available
Civil	2	2
Mechanical	2	2
Electrical	2	2
Engineering Aid	4	4

Other Staff


Designation	Required	Available
Drivers	2	2
Carpenter	1	1
Cooks	2	2
Barber	1	1
Class IV including chowkidars	55	55

Administrative Staff

Designation	Required	Available
Office Superintendent	1	1
Head Clerk	1	1
Cashier	1	1
Stenographer	1	1
UDC	2	2
LDC	4	4

X	CONSTRUCTED AREA
	i) DENTAL COLLEGE BUILDING
	Total completed Constructed Carpet Area Required : 60,000 Sq.ft.




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Floor	Area (Sqft)	Clinical Facilities	Academic Departments	Admin / Logistics / Support	Major Facilities
Basement					
Ground	61458	54021	9155		
First	61458	52955	10221		
Second	61458	10180	52996.		
Third					
Fourth					
Other	9267				
TOTAL		Area 1,93,641 (sq.ft.)			

XI INFRASTRUCTURE & FUNCTIONAL REQUIREMENTS			
(60% of the total constructed area should be completed before the start of college & total construction should be completed before the start of 3rd year)			
Infrastructure	Requirement	Availability	Remarks of Inspector
Administrative block	3000 sq. ft.	4,426	
Library	8000 sq. ft.	9,000	
Lecture Halls – 4	6400 sq. ft.	7,900	
Central Stores	800 sq. ft.	2,000	
Maintenance room	1000 sq. ft.	1,000	
Photography and artist room	400 sq. ft.	400	
Medical Stores cum Pharmacy	300 sq. ft.	500	
Faculty Rooms – Dental Faculty	2000 sq. ft.	2,200	
Faculty Rooms – Medical Basic Science	1500 sq. ft.	1,800	
Amenities Area to include boys and girls locker room, boys and girls common rooms, Common room for non-teaching staff, common room for teaching staff, change room for men, change room for women.	3200 sq. ft.	3,500	
Room for Gas Cylinder (ventilated)	150 sq. ft.	150	
Compressor and Room for Gas Plant	300 sq. ft.	300	
Cafeteria	1500 sq. ft.	2,500	
Examination hall	3600 sq. ft.	4,500	
Auditorium (To accommodate at least 500 people)	4000 sq. ft.(aprox.)	13,900	
Clinical Area (for different specialty departments)	25000 sq. ft.(200 Dental Chairs X 125 sq.ft./per chair)	-	



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Wards Male and Female to accommodate 20 Beds, Central Store, Departmental Store, Major and Minor O.T. etc.	Remaining Area (7500 sq. ft.)	-	
Pre-clinical Prosthodontics and dental material lab	3000 sq. ft.	4842	
Pre-clinical conservative lab	2500 sq. ft.	3,235	
Laboratories for Orthodontics and Pedodontics	1500 sq. ft.	2500	
* Anatomy dissection hall with storage for cadavers, osteology, demonstration room etc.	2500 sq. ft.	3,416	
* One laboratory for physiology with stores and preparation rooms.	2500 sq. ft.	3680	
* Laboratory for biochemistry and Pharmacology	2500 sq. ft.	4692	
CLINICAL			
Prosthodontics Cast Partial and Ceramic	3000 sq. ft.	6488	
Conservative Clinical Lab	2500 sq. ft.	2,500	
Histopathology Lab for Oral Pathology	2500 sq. ft.	2,500	
Laboratories for Orthodontics and Pedodontics	1500 sq. ft.	1800	
* Haematology and Clinical Biochemistry	300 sq. ft.	400	
AREB certified Radiographic Room along with Dark Room	600 sq. ft.	600	

XII	ACADEMIC BLOCK FOR BASIC SCIENCE SUBJECTS (100 INTAKE)
	Applicable for the colleges without attachment of Recognised Medical College (60% of the total constructed area should be completed before the start of college & total construction should be completed before the start of 2nd year)

1. DEPARTMENT OF ANATOMY


AREA REQUIREMENTS

	Department	Specification	Required Area
1	DISSECTION HALL CUM MUSEUM	To seat 50 students. Ventilated with sufficient exhaust fans. And adequate number of glass almirah to store the specimen	1700 Sq.ft.
2	CADAVER ROOM	Two storage tanks to store the cadavers Sufficient area to store the formalin, freezer etc.	350 Sq.ft.
3	HISTOLOGY ROOM	Tables with granite top and seating, sufficient to seat 30 students	350 Sq.ft.
4	STAFF ROOM	Sufficient furniture like table /chairs /cupboard	100 Sq.ft.

EQUIPMENT REQUIREMENTS

	Department	Specification	Requirement	Available	Remarks of Inspector
--	------------	---------------	-------------	-----------	----------------------




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

1.	DISSECTION HALL				
	Dissection table – Stainless-Steel tables with drainage for cadavers dissection	LARGE TABLE 71 inches length 22 inches breadth 36 inches height SMALL TABLE 35 Inches Length 22 inches Breadth 36 inches height	4- Large 4- Small	Large – 10 Small - 35	
	Educational models		10	20	
2	CADAVER ROOM				
	Large Storage Tank	1200 lt or 130 sq. feet	1	2 293 Sq. Feet	
	Small Tank	800 lts	1	1	
	Freezer Unit	To store two cadavers	1	2	
3	HISTOLOGY ROOM				
	Dissection Microscopes		5	5	
	Monocular Microscopes		25	80	
	Binocular Microscopes		1	1	
4	MUSEUM				
	Full body skeletal bones		3	5	
	Head and neck bones set		5	10	
	Complete Human organs specimen set		1	3	


2. DEPARTMENT OF PHYSIOLOGY

AREA REQUIREMENTS

	DEPARTMENT	SPECIFICATION	REQUIRED AREA
1	HEMATOLOGY LAB	Tables with granite top and chairs to seat 50 students	1350 sq.ft.
2	CLINICAL LAB		500 sq.ft.
3	STAFF ROOM	Sufficient furniture like table /chairs /cupboard	150 sq.ft.

EQUIPMENT REQUIREMENTS

	Department	Specification	Requirement	Available
	HEMATOLOGY			



PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

	LAB			
1	Microscopes	Monocular	50	50
2.	Stage Incubator		1	1
3	Westergen's Pipettes For E.S.R. on Stand		5 ESR STAND 10 PIPETTES	5 ESR STAND 10 PIPETTES
4	Wintrobes pipettes		20	20
5.	Haemo Globinometer, Sahli's		50	50
6.	Haemocytometers		50	50
7.	Sphygmomanometer		30	30
8.	Stethoscopes		25	25
9.	Refrigerator		1	1
10	Stop Watches		25	25
11	Ph Meter		1	1
12	Analytical Balance		1	1
13	Centrifuge R4c & R8c		1	1
14	Blood Cell Counters		1	1
15	Haematocrit Tubes		5	7
16	Glass Wares	Glass slide/ pipettes/ capillary tube/test tube/glass Rod	For 50 students	Adequate
CLINICAL LAB				
1	Clinical Thermometers		5	5
2	Knee Hammer		5	15
3	Spirometer (Ordinary)		3	3
4	Mosso's Erograph		1	1
5	Ophthalmoscope		1	1
6	Dynamometer		1	1
7	Perimeter		1	1
8	Hair Aesthesiometer		2	2
9	Bicycle Ergrometer		1	1
10	Examination Couches		5	5
11	Steriliser		1	1
12	Weighing Machine		3	3
13	Height Chart		1	1
14	Snellen's Chart		1	1



A handwritten signature in green ink, appearing to be "Anuj".

PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

3. DEPARTMENT OF BIOCHEMISTRY**AREA REQUIREMENTS**

	DEPARTMENT	SPECIFICATION	REQUIRED AREA
1	CLINICAL LAB	Fitted with granites tables with overheard shelves for glassware. Sinks with tap Gas connection. To seat 50 students.	1250 sq.ft.
2	PREPARATION ROOMS AND INSTRUMENT ROOM	Granite Table – to place equipments for Reagent preparation	150 sq.ft.
3	STAFF ROOM	Sufficient furniture like table / chairs/cupboard	100 sq.ft.

EQUIPMENT REQUIREMENTS

	Department	Specification	Requirement	Available
	CLINICAL LAB			
	Glass Wares	Test tube/beaker/ measuring cylinder /glass rod/funnel/ Amber bottle/plane bottle	For a batch of 50 students	1000 148 6 2 50 40 685
	Micro pipettes		5	5
	Water bath		4	4
	Distillation Apparatus		2	2
	Fume Cupboard		1	1
	Balance	for weighing chemicals	3	3
	Fridge	for storage of fine chemicals	1	1
	INSTRUMENT ROOM			
	Colorimeter	For quantitative analysis	5	5
	Microscopes		5	5



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

	Electrophoretic Apparatus		2	2
	Urinometer		20	20
	Centrifuge	for sample separation	1	1
	Incubator		1	1
	Hot air oven	for sterilization	2	2

4. DEPARTMENT OF PHARMACOLOGY

AREA REQUIREMENTS

	DEPARTMENT	SPECIFICATION	REQUIRED AREA
1	CLINICAL LAB	Fitted with granites tables with overheard shelves for glassware. To seat 50 students.	1250 sq.ft.
2	STAFF ROOM	Sufficient furniture like table /chairs /cupboard	100 sq.ft.

EQUIPMENT REQUIREMENTS

	Department	Specification	Requirement	Available
	CLINICAL LAB			
	GLASS WARE			
1	Beakers	50/100/250/500ml	100 Each	100 Each
2	China Dish		50	50
3	Conical Flask		5	5
4	Funnel	50/65/75 mm	25 each	25 each
5	Glass Rod Medium/Small		100	100
6	Measuring Cylinder	5/10/25/50/100ml	60	60
7	Measuring Cylinder 250ml		5	5
8	Measuring Cylinder 500ml		2	2
9	Mortar and Pestle	Glass& Porcelain	50 each	50 each
10	Pasteur pipette pack of 100		3	3
11	Pipette 1 ml		100	100
12	Pipette 2ml		50	50
13	Pipette 5 ml		25	25



[Handwritten Signature]

PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

14	Reagent bottle with lid – Narrow Mouth	Amber(NMA) 125/250/500 ml	100 each	100 each
15	Reagent bottle with lid – Narrow Mouth	White(NMW)125/250/500ml	100 each 500ml-50	100 each 500ml-50
16	Reagent bottle with lid – Wide Mouth	Amber(WMA) 250ml	50	50
17	Reagent bottle with lid – Wide Mouth	White(WMW) 125/250/500ml	100 each 500ml-50	100 each 500ml-50
18	Test Tubes (Medium)		50	50
19	Petri dish		10	10
20	Wash Bottle		75	75
21	Dropper Bottle		50	50
1.	Transparent Dispensing Box		50	50
2.	Dispensing Balance		50	50
3.	Dispensing Weight box		50	50
4.	Electronic balance		1	1
5.	Mechanical pipette		1	1
6.	Sensitive Balance (Shimadzu)		1	1
7.	Sphygmomanometer		1	1
8.	Spirit lamp		7	7
9.	Test Tube Holders		25	25
10.	Test Tube Stand		25	25
11.	Water bath		1	1
12.	Wax paper bundles		5	5

4. DEPARTMENT OF MICROBIOLOGY



[Signature]

PRINCIPAL


RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

AREA REQUIREMENTS

	DEPARTMENT	SPECIFICATION	REQUIRED AREA
1	CLINICAL LAB	Fitted with granites tables with overheard shelves for glassware. Sinks with tap. To seat 50 students.	1250 sq.ft.
2	PREPARATION ROOMS	Fitted with granites tables for culture media preparation and processing of clinical specimens.	250 sq.ft.
3.	STAFF ROOM	Sufficient furniture like table /chairs /cupboard	100 sq.ft.

EQUIPMENT REQUIREMENTS

	Department	Specification	Requirement	Available
	CLINICAL LAB			
1	Microscopes monocular	Examination of micro-organisms for students	50	73
2	Microscope binocular	Examination of microorganisms for research purposes	1	1
3	Incubator		1	1
4	Double Door Refrigerator	Maintaining Cultures	1	1
	Preparation Room			
	Autoclave (Small)	Sterilisation	1	1
	Electronic Balance		1	1
	Water Bath		1	1
	Anaerobic Jar		1	1
	Centrifuge		1	1
	Bio Safety Cabinet		1	1
	Hot Air Oven	Sterilisation	1	1
	Hot Plate	Electrical For Heating	1	1



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.


4. DEPARTMENT OF GENERAL PATHOLOGY**AREA REQUIREMENTS**

	DEPARTMENT	SPECIFICATION	REQUIRED AREA
1	CLINICAL LAB	Fitted with granites tables To seat 50 students.	1350 Sq. Ft.
2	STAFF ROOM	Sufficient furniture like table /chairs /cupboard	100 Sq.ft.

EQUIPMENT REQUIREMENTS

	Department	Specification	Requirement	Available
	CLINICAL LAB			
A.	GLASS WARE			
1	Test tubes		Adequate number	Adequate
2	Glass pipette	1ml,2ml,10ml	25 Each	25 Each
3	Conical flask		50	50
4	Coupling Jar		25	25
5	Wintrobe tubes		20	20
6	Dropper bottles		25	25
7	Capillary tubes		2 Pack	2 Pack
8	RBC pipette		60	60
9	Glass rods		50	50
10	Micropipettes		50	50
11	Hemometer pipette		20	20
B.	INSTRUMENTS			
1	Microscopes		25	25
2	Incubator		1	1
3	Centrifuge		1	1
4	Hemocytometer		20	20
5	Hemometer		20	20
6	Water bath		1	1
7	Electronic weigh scale		10	10
8	Sprit lamp		5	5
9	Test tube stand		50	50
10	ESR stand		25	25
11	Laboratory thermometer		5	5




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

12	Counting chamber		10	10
13	Sphygmomanometer		1	1
14	Lancets		1Pack	1Pack
15	Stethoscope		1	1
16	Clinical thermometer		1	1

MAJOR EQUIPMENTS

DEPARTMENT: 1. PROSTHODONTICS AND CROWN & BRIDGE

EQUIPMENT REQUIREMENTS

	Department	Specification	Requirement	Available
	Dental Chairs and Units	As per specification	34	34
	Semi adjustable articulator	With face bow	4	8
	Extra oral/intra oral tracer		4	4
	Dewaxing unit		2	5
	Curing unit		2	2
	Dental casting machine		1	1
	Wax burnout furnace		1	3
	Pre heating furnace		1	1
	Surveying unit		2	5
	Heavy duty hand piece	Lab micromotors	4	4
6 2 9	Autoclave	Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters	2	5
	Needle burner with syringe cutter		2	2
	CAD CAM		1(Optional)	-
	LAB			
	Plaster Dispenser	One each for	2	4



PRINCIPAL
 RAJAS DENTAL COLLEGE & HOSPITAL
 KAVALKINARU JN - 627 105.
 TIRUNELVELI DISTRICT.

		plaster and stone plaster		
	Model Trimmer with Carborandum Disc		1	3
	Model Trimmer with Diamond Disc		2	3
	Acrylizer		3	8
	Lathe		2	5
	Flask press		4	6
	Deflasking unit		4	4
	Dewaxing unit		3	3
	Hydraulic Press		3	3
	Mechanical Press		2	6
	Vacuum mixing machine		1	3
	Curing pressure pot		1	2
	Hot water sterilizer	Compound bath	2	2
	Geyser		2	2
	Phantom heads		50	50
	Pre-clinical working tables	Gas connection & bunson burner	100	100

CERAMIC AND CAST PARTIAL LABORATORY

Department	Specification	Requirement	Available
Plaster Dispensor	One each for plaster and stone plaster	2	2
Duplicator		1	2
Pindex System		1	2
Circular saw		1	1
Burn out furnace		1	2
Sandblasting machine	With two containers	1	5
Electro-polisher		1	2
Model Trimmer with Carborandum disc		1	3
Model Trimmer with Diamond disc		1	3
Induction casting machine		1	1
Programmable porcelain furnace with vacuum pump with instrument kit and material kit		1	1



[Handwritten Signature]

PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Spot welder with soldering, attachment of cable		1	1
Vacuum mixing machine		1	1
Steam Cleaner		1	2
Spindle Grinder 24,000 RPM with vacuum suction		1	2
Wax heater		1	2
Wax carver		1	6
Curing pressure pot		1	1
Milling machine		1	2
Heavy duty lathe with suction		1	1
Preheating furnace		1	1
Palatal trimmer		1	2
Ultrasonic cleaner	5 liters capacity	1	4
Composite curing unit		1	3
Micro surveyor		1	1
PRE-CLINICAL PROSTHETICS LABORATORY	Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool. Adequate number of lab micro motor with attached hand piece	60	60
		20	20
Plaster dispenser	One each for plaster and stone plaster	2	2
Vibrator		2	8
Lathe		2	4
Model Trimmer		1	1
Carborandum Disc		1	3
Diamond disc		1	2

DEPARTMENT: 2. CONSERVATIVE DENTISTRY AND ENDODONTICS



PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Department	Specification	Requirement	Available	Remarks of inspector
Dental Chairs and Units	As per specification	34	36	
Rubber dam kits		6	6	
Restorative instruments kits		10	10	
R.C.T. instrument kits		10	10	
Autoclaves	Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters	3	3	
Ultrasonic cleaner	Minimum capacity 13 liters with mesh bucket	2	2	
Needle burner with syringe cutter		4	4	
Amalgamator	With Autoclave proportion, Autoclave dispenser	3	3	
Pulp Tester-Digital		4	4	
Apex Locator		2	2	
Glass bead sterilizers		6	6	
Plaster dispensers		2	2	
Vibrator		2	2	
Intra-oral X-ray Unit	Proper radiation safety	1	1	
Automatic Developer		1	1	
Radiovisiography	RVG with Computer	1	1	
Endo motor	With torque control Hps	3	3	
Bleaching unit		1	1	
Magnification loops		2	2	
Injectable gutta percha		3	3	
CAD CAM		1(Optional)	-	
PHANTOM LAB UNIT	Phantom Table fitted with Halogen Operating Light Phantom Head body type neck joint for all the movement, TMJ movement. Modular with Air rotor, Micro motor with contra angle Hps, 3-way syringe, jaw with ivory teeth, preferably soft gingival, dental	60	60	



PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

	operator's stool (not to use extracted or cadaver teeth).			
CLINICAL LABORATORY				
Plaster Dispenser	One each for plaster and stone plaster	2	2	
Model Trimmer	Carborandum disc	1	1	
	Diamond disc	1	1	
Lathe	Heavy Duty	2	2	
Lab Micromotor	With heavy duty handpiece	3	3	
Ultrasonic cleaner	Minimum capacity 5 liters	1	1	
Spindle Grinder		1	1	
Vibrator		2	2	
Burnout furnace		1	1	
Porcelain furnace		1	1	
Sandblasting Machine		1	1	
Lab Airrotor		1	1	
Pindex System		1	1	
Circular saw		1	1	
Vacuum mixer		1	1	
Pneumatic chisel		1	1	
Casting machine	Motor cast/induction casting preferred	1	1	
Ceramic Unit		1	1	

DEPARTMENT: 3. ORAL PATHOLOGY AND ORAL MICROBIOLOGY

Department	Specification	Requirement	Available	Remarks of Inspector
Dental Chairs and Units	With shadowless lamp, spittoon, 3 way syringe, instrument tray and suction	2	2	
Slides		100	100	
Slides Boxes		4	4	
Microscopes		50	50	
Microtome		1	1	
Wax bath		1	1	
Water bath		1	1	
Knife sharpner		1	2	
Hot plate		1	1	
Spencer knife		1	1	
Adequate slides projection system		1	1	

DEPARTMENT: 4. ORAL & MAXILLOFACIAL SURGERY

PRINCIPAL
 RAJAS DENTAL COLLEGE & HOSPITAL
 KAVALKINARU JN - 627 105.
 TIRUNELVELI DISTRICT.


A) EXODONTIA

Department	Specification	Requirement	Available	Remarks of Inspector
Dental Chairs and Units	As per specification	25	25	
Autoclaves	Front loading Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters	4	4	
Ultrasonic Cleaner	Minimum capacity 13 liters with mesh bucket	2	2	
Needle burner with syringe cutter		8	8	
Extraction forceps sets	Complete set	20	20	
Dental elevators	Complete set	10	10	
Minor Oral surgery kits		6	6	
Emergency drugs tray		2	2	
X-ray viewers		2	2	
Pulse Oxymeter		2	2	
BP appartus		2	2	
Stethoscope		2	2	
Thermometer		2	2	
Glucometer		1	1	
Oxygen cylinder		2	2	
Oxygen mask adult		2	2	
Oxygen mask Pedo		2	2	
Impaction kit		3	3	
Lab micromotor with handpiece		3	3	
Trauma kit		1	1	
High volume suction		2	2	
Surgical straight hand piece		4	4	

B) MINOR SURGERY

Department	Specification	Requirement	Available	Remarks of Inspector
Dental Chairs and Units	As per specification	5	5	


DEPARTMENT : 5. PERIODONTOLOGY


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Department	Specification	Requirement	Available	Remarks of Inspector
Dental Chairs and Units	Atleast 50% of the units should have the Ultrasonic scaler with high volume suction.	34	34	
	Note: Atleast 25% of the units should have the Airpolisher.			
Surgical instrument sets		6	6	
Autoclave	Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters	3	3	
Ultrasonic Cleaner	Minimum capacity 13 liters with mesh bucket	2	2	
Electro surgical cautery		1	1	
Needle burner with syringe cutter		4	4	
Laser	Soft tissue laser	1	1	
Physio dispenser with implant kit		1	1	
X-ray Viewer (Extra Oral)		2	2	
Hand scaler Supra gingival	Set of 8	10	10	
Hand scaler Sub gingival	Set of 6	10	10	
Set of curettes	Set of 12	2	2	
Electro cautery Kit		1	1	
Periodontal Surgical Kit		3	3	

DEPARTMENT : 6. ORTHODONTICS

Department	Specification	Requirement	Available	Remarks of Inspector
Dental Chairs and Units	As per specification	18	18	
Unit mount scaler		5	4	
Autoclave	Having wet and dry cycle, which can achieve 135°C	2	2	





PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

	with minimum capacity of 20 liters			
Ultrasonic Cleaner	Minimum capacity 13 liters with mesh bucket with digital timer	2	1	
ORTHO LAB				
Plaster dispenser	One each for plaster and stone plaster	2	2	
Vibrator		2	2	
Model Trimmer		2	4	
Micromotor –	heavy duty	4	4	
Lathe		2	2	
X-ray viewers		2	2	
OPG with cephalostat	If available in radiology its is adequate.	1	1	
Welders		4	4	
Blue Torch		1	1	
Base Formers		4	4	
Typodont		4	4	
Set of Pliers		10	10	
Welder with soldering attachments		1	1	
Hydro solder		1	1	
Typhodont articulator	With metal teeth wax rim of Class I, II, III	4	4	
Pressure moulding machine		1	1	
Soldering torch		1	1	
Spot Welder		1	1	

DEPARTMENT : 7. PAEDIATRIC AND PREVENTIVE DENTISTRY

Department	Specification	Requirement	Available	Remarks of Inspector
Dental Chairs and Units	As per specification (Pedo chair preferred with micro head hand pieces)	20	20	
Autoclaves	Having wet and dry cycle, which can achieve 135°C with minimum capacity of	2	2	




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

	20 liters.			
Ultrasonic cleaner	Minimum capacity 13 liters with mesh bucket with digital timer	2	1	
Needle Burner with syringe cutter		3	1	
Amalgamator		1	2	
Pulp Tester-Digital		1	1	
Rubber dam kit for pedo		5	5	
Apex locator		1	1	
Endo motor	With torque control HPs	1	1	
Injectable gutta percha with condensation		1	1	
Radiovisiography	Digital intra X-ray system with pedo sensor and software	1	1	
Intra Oral Camera	With high resolution	1	1	
Scaling instruments		10	10	
Restorative instruments		10	8	
Extraction forceps	Pedo Forceps complete sets	10	10	
Intra-oral X-ray		1	1	
RCT Instruments Kits		5	5	
Automatic Developer		1	1	
PEDO LAB				
Plaster dispenser	One each for plaster and stone plaster	2	1	
Model Trimmer	With diamond disc	1	1	
Model Trimmer	With Carborandum disc	1	2	
Welder with soldering attachments		1	2	
Vibrator		2	1	
Lab micro motor	Heavy duty with Hps	3	5	
Dental Lathe		1	1	
Steam cleaner		1	1	
Pressure moulding machine		1	1	


DEPARTMENT : 8. ORAL MEDICINE AND RADIOLOGY.



PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Department	Specification	Requirement	Available	Remarks of Inspector
Dental Chairs and Units	As per specification	12	12	
Panoramic X-Ray with Cephalometric	Preferably digital AERB Certified	1	1	
Intra Oral X-ray Unit	AERB Certified	3	3	
Pulp testers	Digital	3	4	
Automatic periapical X-ray Developer		1	1	
Automatic Panoramic with Cephalometric X-ray Developer		1	1	
X-ray viewer	For Panoramic and Cephalometric films	2	6	
Radiovisiography with Intra Oral Camera	Digital Intra X-ray System with one Sensor and Software	1	1	
General X-ray Unit		1	1	
Automatic Developers/ <i>Dark Room</i>	AERB Criteria	1	1	
Lead Aprons		2	2	
Lead Gloves		2	2	
Lead collar		2	2	
X-ray Hangers		6	8	
Diagnostic Kits	Mouth mirror, dental probe, college tweezers	40	75	
<i>Lead Screen</i>		1	2	
<i>Biopsy Kit</i>		1	2	
Autoclave	Having wet and dry cycle, which can achieve 135 ⁰ C with minimum capacity of 20 liters	2	2	
Needle Burner with Syringe Cutter		2	2	
CBCT	AERB Certified, capturing the complete image in less than 30 sec.	1 (Optional)	1	
Diagnostic kit		25	30	
Biopsy Kit		2	2	



PRINCIPAL
 RAJAS DENTAL COLLEGE & HOSPITAL
 KAVALKINARU JN - 627 105.
 TIRUNELVELI DISTRICT.

Sialography equipment & Kit		1	2	
-----------------------------	--	---	---	--

DEPARTMENT : 9. PUBLIC HEALTH DENTISTRY

Department	Specification	Requirement	Available	Remarks of Inspector
Dental Chairs and Units	As per specification	16	16	
Autoclaves	Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters.	2	2	
Ultrasonic cleaner	Minimum capacity 13 liters with mesh bucket with digital timer	2	2	
Needle burner with syringe cutter		4	4	
MOBILE CLINIC				
Mobile dental van	Mobile dental van with two dental chairs with all the attachments and adequate sitting space for 15 to 20 people			
Dental chair with unit	Hydraulically operated with spittoon attachment, halogen light with 2 intensity, air ventury suction, airrotor, micromotor, 3 way-scaler and light cure, x-ray viewer, instrument tray, operating stool.			
Autoclaves	Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters.	1	1	
Intraoral x-ray	Portable	1	1	
Glass bead sterilizers		1	1	
Compressor	1.25HP	1	1	
Metal Cabinet	With wash basin	1	1	
Portable dental chair	Suitcase unit with	2	2	




 PRINCIPAL
 RAJAS DENTAL COLLEGE & HOSPITAL
 KAVALKINARU JN - 627 105.
 TIRUNELVELI DISTRICT.

	airrotor, micromotor, scaler and compressor 0.25HP			
Stabilizer	4KV	1	1	
Generator	4KV	1	1	
Water tank	400ltrs	1	1	
Oxygen cylinder		1	1	
Public address system		1	1	
TV and video cassette player		1	1	
Demonstration models		5	5	

**DEPARTMENT: DENTAL ANATOMY, EMBRYOLOGY, ORAL HISTOLOGY
AND ORAL PATHOLOGY**

AREA REQUIREMENTS

	Department	Specification	Required area
	Dental Anatomy, Dental Histology & ORAL PATHOLOGY LAB	Fitted with granite tables. To seat 50 students.	2300 sq.ft.
	HISTOPATHOLOGY ROOM	Fitted with granite/wood tables	300 sq.ft.
	STAFF ROOM		200 sq.ft.

EQUIPMENT REQUIREMENTS

	Department	Specification	Requirement	Available	Remarks of Inspector
A	DENTAL ANATOMY DENTAL HISTOLOGY & ORAL PATHOLOGY LAB				
1	Microscope		50	50	
2	Television	With USB port For displaying slide	1	1	
3	Teaching slides set with box		3 Sets (with minimum of 55 slides in each set)	3 Sets	
4	Education models & dental developmental set (Nissan like model)		3	3	
B	HISTOPATHOLOGY ROOM				
	Microtome	Manual/automatic	1	1	
	Wax Bath		1	1	




[Signature]
PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Water Bath		1	1	
Knife Sharpener		1	1	
Spencer Knife		1	1	
Disposable Blade		1set	1	
Hot Air Oven		1	1	
Organic Tissue Capsule	Small	2	2	
Distilled Water Plant		1	1	
Diamond Tip Pencil		1	1	
Glass Dropper Bottle		5	5	
Glass Bottle With Lid		5	5	
Wide Mouth Bottles		5	5	
Glass Funnel		5	5	
Glass Pipette		5	5	
Glass Measuring Jar		5	5	
Petri Dish 4" Glass		5	5	
L Blocks		3	3	
Loop Holder		3	3	
Magnifying Glass		1	1	
Toothed Forceps		5	5	
Plastic Dropper		5	5	
Petri Dish 50mm Glass		5	5	
Gas burner/Spirit Lamp		1	1	
Processing Bottles		5	5	
Slide Warming Table		1	1	
Slide Drying Tray		1	1	
Slide Carrying Tray		1	1	
Staining Basket SS		1	1	
Staining Trough SS	Stainless steel	1	1	
Staining Trough Glass		1	1	
Slide Staining Rack SS	Stainless steel	1	1	
Slide Box		1	1	
Slides Storage Cabinet		1	1	
Wax Block Storing Cupboard		1	1	
C ORAL PATHOLOGY REPORTING STATION				
Microscope –Trinocular	With all attachments	1	1	
Colour Printer		1	1	
Desktop Computer		1	1	

Note: These provisions shall come into force only after suitable amendment to be carried out into the existing Revised BDS Course Regulations 2007 which are under active consideration with the Council.

Whether all the above-mentioned equipments are functioning?	Yes
---	-----



[Signature]
PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.


Whether detailed list of equipments as furnished by the college authority is attached	Yes
---	-----

XIII	DENTAL CHAIRS / UNITS	
	Total Electrical Dental Chairs Installed with all the attachments thereon	203
	Whether all the chairs and units are functioning and electrically operated?	Yes
	Total No. of functional Chairs	276/ 200
	Total No. of Chairs in DENTAL CLINIC	276/ 200
	* Specification: Electrically operated, Spittoon attachment, Halogen Light with 2 intensity, high power evacuation system, 3 way syringe, X-ray viewer attachment for Airrotor, Micromotor with straight and contrangle Handpiece, instrument tray and suction, Dental operator stool with height adjustment	

Sl. No.	Required for 100 admissions	BDS required	BDS Available
1.	Prosthodontics and Crown & Bridge	34	34
2.	Periodontics	34	34
3.	Oral Maxillofacial Surgery	30	30
4.	Conservative Dentistry and Endodontics	34	34
5.	Orthodontics and Dentofacial Orthopaedics	18	18
6.	Oral and Maxillofacial Pathology and Oral Microbiology	02	02
7.	Public Health Dentistry	16	16
8.	Pediatric Dentistry	20	20
9.	Oral Medicine and Radiology	12	12

XIV	EXAMINATION HALL FACILITIES (Required area 3600 sq. ft)
-----	---





PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Sl. No.	Description	Quantity
1.	Pentium – IV Computer /Laptop /Windows 2000/windows XP / Internet explorer/Mozilla Firefox, Adobe Acrobat Reader / Anti virus software.	2
2.	Laser Printer/Inkjet Printer	2
3.	1 KVA UPS with min. of 2 hours of backup	2
4.	Copier machine with min. of 90 PPM	1
5.	Broadband Internet	1
6.	Fax Machine / USB wireless Internet Data Card	1
7.	Power Generator	1
1.	Whether all the facilities available in the examination?	Yes
2.	Whether CC TV Camera Footages available in Examination Halls?	Yes
3.	Whether CCTV Camera is functioning?	Yes
4.	Whether the metal detector in the centre?	Yes
5.	Whether the jammer in the centre?	Yes

XV	OTHER FACILITIES	
	i) Rural centres with suitable staff and equipments	Yes
	ii) To Satellite Centre with suitable staff and equipments	Yes
	iii) One bus earmarked for Dental College alone	Yes
XVI	iv) Anti Ragging Committee as per norms	Yes
	FURNITURE	
	Adequate Furniture for :	
	Faculty	Yes
	Non-teaching Staff	Yes
	Adequate Furniture :	Yes
	Lockers for students	Boys : Yes Girls : Yes
	Common hall	Boys : Yes Girls : Yes

XVII	ACCOMMODATION
------	---------------




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

i) STAFF QUARTERS (SEPARATE FROM HOSTEL)		
1	Whether separate quarters for Principal / Dean of the Dental College building within the campus	Yes
2	Staff quarters	Yes <u>21</u> / 19 Nos.
3	Type (No of rooms)	No. Occupancy Rate (verified)
4	Principal/Dean's Bungalow	1
5	Guest House with minimum 2 double bed rooms.	4

ii) HOSTEL FOR BOYS & GIRLS. (To extent of 50% of strength)		
1	Whether the building of Hostels for Boys & Girls is separate for the dental college building within the campus.	Boys: Yes Girls: Yes
2	Hostel facility is available for minimum 50% of total intake	Yes
3	Whether hostel is shared by other colleges/institutions	Boys: No Girls: No
4	Whether there is a separate hostel for post graduate & undergraduate students.	Boys: Yes Girls: Yes
5	Whether there are separate wardens for both the boys & Girls Hostel	Boys: Yes Girls: Yes
6	If yes their names & telephone numbers.	Boys: Dr.K.Tamilselvan - 9629252518 Girls: Mrs.Vijayakumari - 9943988745
7	Whether Inmate Register maintained in both Hostel	Boys: Yes Girls: Yes
8	Whether Kitchen inside the campus are available	Boys: Yes Girls: Yes
9	Whether there is a separate Mess for boys and Girls	Boys: No Girls: No
10	Whether Basic facilities in the Hostel room for students (1 Cot, 1 Cupboard / Table / Chair / fan)	Boys: Yes Girls: Yes
11	Whether basic amenities (electricity, Ventilation, Telephone, Internet, water treatment Plant, wash room for every 4 students, etc.,) are available	Boys: Yes Girls: Yes
12	Whether there is a separate area for recreation (TV), play area for indoor / out door games, gymnasium for boys & Girls & reading room with books & magazines	Boys: Yes Girls: Yes




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Dwelling	Single Seater	Boys: Ye s Girls: Ye s	Triple Seater	% of Accommodation against total strength	No. of equipped Common Rooms	No. of messes	Remarks of Inspector
UG Boys	10	20	15	70	2	1	
UG Girls	-	20	20	80	2		

XVII	CENTRAL LIBRARY	Available	Remarks of Inspector
1	Name of the Chief Librarian with qualifications (MLIS)	Mrs.M.Jothi,B.Sc,M. L.I.Sc.,	
2	Assistant Librarian with qualifications (MLIS)	Mr.S.Kannan, B,Com.,M.L.I.Sc.,	
3	Timing of functioning of the Library (minimum 8 hours)	8.30AM to 7.00PM	
4	Total Number of Books (Minimum 600) 6 Titles for all specialties plus 5 copies each of all the subjects of first year, 2 nd year & 3 rd Year students	7929	
5	Total Number of Journals No. 26	64	
	i) Indian Journals - (1 National Journal in each subject of the 9 Dental specialties)	9	
	ii) Indian Journals - (1 National Journal in each subject of the 8 basic medical science	8	
	iii) International Journals - (1 International Journals for each 9 dental specialty)	38	
	iv) Back Volumes - (Back Volumes of all National Journal of 9 Dental Specialties)	Yes	
	iv) e- Journals / e-Consortium details	Yes	
6	Total Area (Minimum 8000 sq.ft.)	8000 sq.ft.	
7	Seating Capacity (it should be minimum 50% of total strength)	275 Seats	
	Under graduate students	255	
	Post graduate students	30	
	Staff	15	
8	List of books recommended by the Dental Council of India. There should be 5 copies for 100 admissions	Yes	
9	Journal Room	Available	
10	Internet Room with 5 Nos. of Computer	30	




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

11	Room for Librarian	Available	
12	Photo copying area	Available	
13	Staff available in the Library	3	
	Audio Visual aids available	Available	
	Number of CD's	50	
	Academic	-	
	Educational	-	
14	Annual budget for Books, Journals, Audiovisual aids provided & utilized to be verified with invoice	32,90,404/-	

S.No.	Amenities	Available / Not Available	Sq. Ft.
1	Reception and waiting	Available	1080
2	Issue Counter	Available	300
3	Photocopying area	Available	200
4	Journal Room	Available	1658
5	Staff Reading Room	Available	168
6	Store and Stocking Room	Available	2122
7	Digital Library	Available	284
8	Chief library Room/Assistant Library	Available	250
9	Students Cloak Area	Available	400
10	Seating Area	Available	2000

XIX	CLINICAL MATERIALS to be checked at the end of the OPD (Attendance Register to be checked & signed at the beginning and the end of the OPD and duly filled by the Inspectors)	
	No. of Patients:	
	MEDICAL COLLEGE	
	OPD Attendance	Average (Last 6 months)
	ATTACHED GENERAL HOSPITAL (applicable if Medical College is more than 10 kms)	
	OPD Attendance	Average (Last 6 months)
	DENTAL COLLEGE HOSPITAL	
	OPD Attendance	Average (Last 6 months)
	* Minimum requirement of new patient's is 50 patients per day for the 1 st year in the Dental College Hospital OPD	
	*Minimum requirement of new patient's for Medical College is 800 Patients per day as per MCI Regulations.	



PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.