

View Anti Ragging Report

Annexure -II

Proforma for monitoring the directions of Hon'ble Supreme Court of India on measures against Ragging in educational Institutions.

College Name : **Rajas Dental College & Hospital**
 Address : **KAVALKINARU JUNCTION TIRUNELVELI DISTRICT**
 Telephone No. : **0463723190**
 Name of Principal/Dean : **Dr.ALEX MATHEWS MURUPPEL**
 Contact No : **8903939333**
 Email : **principal@rajasdentalcollege.e**
 1. Whether AntiRagging squads were constituted? : **YES**
 2. Whether Anti Ragging Committee were constituted : **YES**
 3. Whether Prospectus mention possible action against Ragging. : **YES Prospectus are attached**
 4. Whether names, telephone no's of authorities to contacted have been publicized/made available to freshers : **YES**

Name	Designation	Contact No
Dr.Antony Selvi,M.Sc.Ph.D	Professor & H.O.D.	9442360859

 5. Whether students are allowed free access to phone(cell & Land line)in hoste? : **YES**
Common Landline, Common Helpline are available in the Warden office and individual cell phones are allowed in particulars times inside the hostel permises.
 6. Whether Seniors counseled? : **YES**
 7. Whether Freshers counseled? : **YES**
 8. Whether Orientation Courses for Freshers Conducted? : **YES**
Instructions for General Information in connection with discipline, punctuality, respect and money dealing and common lectures for the dental subjects in essay way to the students.
 9. Anti Ragging Squads : **04 Oct 2017**
 (a) Date of Information
 (b) Name of member and their contact nos :

Name	Contact No
Dr.I.Packiaraj,MDS	9443173903
Dr.S.Antony Selvi,MDS	9442360859
Dr.D.Angeline Deepthi,MDS	9994619957
Dr.D.Angeline Deepthi	9994619957

 (c) No. of Raids : **08**
 (d) Frequency of raids : **02 Per Month**
 (e) Other measures taken by the squad : **Nil**
 (f) No. of cases detected : **Nil**
 (g) Action taken by follow up : **Nil**
 10. Anti Ragging Committee : **04 Oct 2017**
 (a) Date of Information
 (b) Name of member and their contact nos :

Name	Contact No
Dr.I.Packiaraj,MDS	9443173903
Dr.S.Antony	9442360859



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105,
TIRUNELVELI DISTRICT.

Selvi.MSc.,Ph.D.,
Dr.D.Angeline Deepthi,MDS 9994619957
Dr.K.Aruna.MSc.,Ph.D., 9865554246
Dr.J.Dinakar,MDS., 9843129572
Dr.V.Thirumalai.MSc.,Ph.D.,8870028757
Mr.S.Sahaya
Benz,M.A.,M.A.,M.Phil., 9597117735
PGDLET.,

(c)No.of Raids	:	08
(e)Frequency of raids	:	02 Per Month
(f)Other measures taken by the squad	:	Nil
(g)No.of cases detected	:	Nil
(h)Action taken by follow up	:	Nil
11.Enquiry(ies)Conducted	:	Nil
12.Punishment meted out	:	Nil
13.No.of F.I.R(S) lodged by institution with details	:	Nil
14.Whether Undertaking received from all the student before the admission?(as per Annexure I,Part D)	:	Each student undertaking will be given with prescribed format with students signature YES
15.Whether Undertaking received from all the parent/Gardian before the admission?(as per Annexure I,Part I)	:	Each parent undertaking will be given with prescribed format with parent signature YES

Principal

Rajas Dental College & Hospital



PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL

KAVALKINARU JN - 627 105.

TIRUNELVELI DISTRICT.

View Anti Ragging Report

Annexure -II

Proforma for monitoring the directions of Hon'ble Supreme Court of India on measures against Ragging in educational Institutions.

College Name : Rajas Dental College & Hospital
 Address : KAVALKINARU JUNCTION TIRUNELVELI DISTRICT
 Telephone No. : 0463723190
 Name of Principal/Dean : Dr.ALEX MATHEWS MURUPPEL
 Contact No : 8903939333
 Email : principal@rajasdentalcollege.e

1. Whether AntiRagging squads were constituted? : YES
 2. Whether Anti Ragging Committe were constituted : YES
 3. Whether Prospectus mention possible action against Ragging. : YES
 Prospectus are attached

4. Whether names, telephone no's of authoritites to contacted have been publicized/made available to freshers : YES

Name	Designation	Contact No
Dr.Antony Selvi,M.Sc.Ph.D.,	Professor and HOD	9442360859

5. Whether students are allowed free access to phone(cell & Land line)in hoste? : YES
 Common Landline, Common Helpline are available in the Warden office and individual cell phones are allowed in particulars times inside the hostel permises.

6. Whether Seniors counseled? : YES
 7. Whether Freshers counseled? : YES
 8. Whether Orientation Courses for Freshers Conducted? : YES
 Instructions for General Information in connection with discipline, punctuality, respect and money dealing and common lectures for the dental subjects in essay way to the students.

9. Anti Ragging Squads : 04 Oct 2017
 (a) Date of Information
 (b) Name of member and their contact nos : Name Contact No
 Dr.I.Packiaraj,MDS 9443173903
 Dr.S.Antony Selvi, MSc.,Ph.D., 9442360859
 Dr.D.Angeline Deepthi,MDS 9994619957
 (c) No. of Raids : 12
 (d) Frequence of raids : 2 per month
 (e) Other measures taken by the squad : Nil
 (f) No. of cases detected : Nil
 (g) Action taken by follow up : Nil

10. Anti Ragging Committee : 04 Oct 2017
 (a) Date of Information



PRINCIPAL
 RAJAS DENTAL COLLEGE & HOSPITAL
 KAVALKINARU JN - 627 105.
 TIRUNELVELI DISTRICT.

(b)Name of member and their contact nos	: Name	Contact No
	Dr.I.Packiaraj,MDS	9443173903
	Dr.S.Antony Selvi, MSc.,Ph.D.,	9442360859
	Dr.D.Angeline Deepthi,MDS	9994619957
	Dr.K.Aruna,M.Sc.,Ph.D.,	9865554246
	Dr.J.Dinakar,MDS.,	9843129572
	Dr.V.Thirumalai,M.Sc.,Ph.D.,	8870028757
	Mr.S.Sahaya	9597117735
	Benz,M.A.,M.A.,M.Phil.,PGDELT.,	
(c)No.of Raids	: 12	
(e)Frequence of raids	: 2 per month	
(f)Other measures taken by the squad	: Nil	
(g)No.of cases detected	: Nil	
(h)Action taken by follow up	: Nil	
11.Enquiry(ies)Conducted	: Nil	
12.Punishment meted out	: Nil	
13.No.of F.I.R(S) lodged by institution with details	: 0	
14.Whether Undertaking received from all the student before the admission?(as per Annexure I,Part I)	: Each student undertaking will be given with prescribed format with students signature YES	
15.Whether Undertaking received from all the parent/Gardian before the admission?(as per Annexure I,Part I)	: Each student undertaking will be given with prescribed format with students signature YES	

Principal

Rajas Dental College & Hospital



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

தமிழ்நாடு தீயணைப்புமீட்புப் பணித்துறை

படிவம்-41

ஓ.மு. எண். 853/ஈ/2023

நாள். 07.03.2023

மாவட்ட அலுவலர் அலுவலகம்
தீயணைப்பு மீட்பு பணித் துறை
திருநெல்வேலி மாவட்டம்.

தடையின்மைச் சான்று

பொருள்

தீயணைப்புமீட்பு பணித்துறை - திருநெல்வேலி மாவட்டம் -
கட்டிடங்கள் சட்டமும் விதிகளும் - தீஅபாயமிக்க இடங்களுக்கு
தடையின்மைச் சான்று வழங்குதல்.

பார்வை

- 1) Chairman, Rajas Dental College & Hospital, Kavalkinaru Junction, Tirunelveli District என்பவரது கடிதம் எண். RDC/FIRE & SAFETY / D 2849/ 2023, நாள்.07.02.2023.
- 2) 24.02.2023 நாளிட்ட வள்ளியூர் நிலைய அலுவலரது கடித ந.க.எண். 87/2023.

திருநெல்வேலி மாவட்டம், இராதாபுரம் தாலுகா, காவல்கிணறு பஞ்சாயத்து மற்றும் கிராமம், வார்டு எண்.6, சர்வே எண்.1965, 1967, 1970, கதவு எண். 9/140-A என்ற முகவரியில் உள்ள இடம் 23.02.2023 அன்று வள்ளியூர் நிலைய அலுவலரால் ஆய்வு செய்யப்பட்டது.

அவ்விடத்தில் தரைதளம், முதல்தளம் மற்றும் இரண்டா தளம் (G+2) கொண்ட கட்டிடத்தில் "Rajas Dental College & Hospital" என்ற பெயரில் மருத்துவ கல்லூரி மற்றும் மருத்துவமனை நடத்த கீழ்க்கண்ட நிபந்தனைகளுக்குட்பட்டு தீயணைப்புமீட்புப் பணித்துறையின் தடையின்மைச் சான்று வழங்கலாகிறது.

நிபந்தனைகள்

- 1) மேல்நிலை நீர்தேக்க தொட்டி மற்றும் தரைமட்ட நீர்தேக்க தொட்டி ஆகியவற்றில் எந்நேரமும் நீர்நிரப்பி அவசர காலங்களில் பயன்படுத்த தயார் நிலையில் இருக்க வேண்டும்.
- 2) தீயணைப்பாளர்கள் காலமுறையாக மறுநிரப்பம் செய்தும் தீவாளிகள் எந்நேரமும் பயன்படுத்தும் வகையில் இருக்க வேண்டும்.
- 3) முதல்தள விட்டிகள் அவசர காலத்தில் பயன்படுத்த தயார் நிலையில் வைக்க வேண்டும்.
- 4) வராண்டா / நடைபாதை ஆகியவற்றில் தேவையற்ற பொருட்களை தடை ஏற்படும் வகையில் வைக்காமல் காலியாக விடப்பட வேண்டும்.
- 5) பக்கதிறவிடங்கள் அவசர கால ஊர்தி மற்றும் நோயாளர் ஊர்தி எளிதில் அணுகும் வகையில் காலியாக விடப்பட வேண்டும்.
- 6) வாட்ச்மேன்கள் மற்றும் பணியாளர்களுக்கு தீயணைப்பு உபகரணங்களை கையாளுவதற்கு காலமுறையாக பயிற்சி அளிக்கப்பட வேண்டும்.
- 7) ஆறு மாதங்களுக்கு ஒரு முறை அவசர கால ஒத்திகை பயிற்சி (Mock Drill) நடத்தப்பட வேண்டும்.
- 8) ஆய்வின்போது காணப்பட்ட கட்டிடத்தில் எவ்வித மாற்றங்களும் செய்யக்கூடாது. அவ்வாறு மாற்றங்கள் ஏதும் செய்தால், இத்தடையின்மைச்சான்று தானாகவே இரத்தாகிவிடும் எனவும் தெரிவிக்கலாகிறது.
- 9) NBC of India 2016, Part 4 Fire & Life safety rules விதிமுறைகள் அனைத்தும் பின்பற்றவேண்டும்.
- 10) இத்தடையின்மை சான்று வழங்கப்பட்ட நாளிலிருந்து ஓராண்டுக்கு மட்டும் செல்லத்தக்கதாகும்.

அலுவலக முத்திரை




மாவட்ட அலுவலர்
தீயணைப்புமீட்புப்பணித்துறை,
திருநெல்வேலி மாவட்டம்.

[Handwritten Signature]
7/3/23
PRINCIPAL

பெறுநர்: Chairman, Rajas Dental College & Hospital, Kavalkinaru Junction, Tirunelveli District
படி: துணை இயக்குநர், தீயணைப்புமீட்புப் பணித்துறை, தென்மண்டலம், மதுரை.

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



SANITARY CERTIFICATE

Ref.L.Dis.No. 6631/A15/2022

O/o Deputy Director of Health Services, Tirunelveli
Dt. 27.6.2022

THE TAMILNADU EDUCATIONAL RULES CHAPTER - III (Rule 24 & Appendix-3)


I here by declare that I have the caused to inspect the building and premises of Rajas Dental College & Hospital, Kavalkinaru Junction, Vallloor Block Radhapuram Taluk, Tirunelveli District on 22.06.2022 and certify that the accommodation provided for each of the several classes is sufficient for the maximum number of pupile taught therein and the rooms are properly ventilated and lighted. That the building is maintained with substaintial repairs, and is neat and clean that the latrine arrangements are adequate and satisfactory that in all other necessary aspects the sanitation is good.


This certificate valid from Date of issued to 31.5.2023

Certificteis issued with the following conditions

1. Establishing hand wash facilities at the Entrance.
2. Maintaining social distancing in all places.
3. Practicing cough etiquette properly.
4. Floors and frequently touched surfaces should be disinfected as per the infection prevention control guidelines.
5. Environment and campus should be kept clean and neat and should be free from dengue Ades larva.
6. Provide safe and protected drinking water.
7. First aid box should be maintained with drugs properly.
8. Tobacco prohibition board should be displayed as per COTPA, 2003 Act.

Countersigned on the basis of the BHS inspection finding


Deputy Director of Health Services
Tirunelveli.


22.6.2022
BLOCK HEALTH SUPERVISOR
GOVT. PRIMARY HEALTH CENTRE
VADAKANKULAM-627 116
TIRUNELVELI DIST.




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105
TIRUNELVELI DISTRICT.

FORM A

Form of Application under sub section (1) / sub section (2) of section 4 of the Madras Public Buildings (licensing) Act 1965 (Madras Act 13 at 1965 referred to in rule 3 of the Madras Public Buildings (Licensing) Rules, 1966.

From

The Correspondent / Secretary,
RAJAS DENTAL COLLEGE & HOSPITAL,
No. 9 /140 A, Main Road,
Kavalkinaru,
Radhapuram Taluk.

To

The Tahsildar,
Taluk Office,
Radhapuram.

Sir,

I intend / to use the building / to continue to use the existing public building which is situated in the site or plot of land, Rajas Dental College & Hospital, Sy.Nos. 1965, 1967 & 1970, D.No. 9 / 140 A, Main Road, Ward No. 6, Kavalkinaru Panchayat, Radhapuram Taluk and specified in the statement enclosed as a public building for a period of 3 years from 01.06.2021 to 31.05.2024.

2. The year of construction and the present approximate cost of construction and the purpose or which it is to be used or is being used as public building are also furnished in the statement accompanying this Application.

3. I enclose a chalan for Rs.

4. I also enclose a certificate of structural soundness in the prescribed form furnished by the Collectorate Panel Engineer GRADE I A, Reg. No. D. Dis. 15146 / 2002 dt. 09.04.2002 Er. M. Adam, B.E., Civil Engineer, Main Road, Singampathu, Kalakad.

Dated the

Signature of the Owner/Occupier of the Building.

CHAIRMAN,

RAJAS DENTAL COLLEGE & HOSPITAL,
KAVALKINARU JN-627 105

towards the Application Fees

TIRUNELVELI DISTRICT

Enclosures: 1. Statement.

2. Chalan for Rs.

3. Certificate of Structural Soundness.

"Explanation" : Separate application shall be made in respect of each building.

PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT,




Signature
15/11/2020

Statement Accompanying FORM A

1. Door No. of the Building : D. No. 9/140 A, RAJAS
: DENTAL COLLEGE & HOSPITAL,
2. Location (Street, Ward No., Name of Place, : Main Road,
Corporation / Municipality / Panchayat / : Ward No. 6, Kavalkinaru Panchayat,
Town-ship / Contonment) : Radhapuram Taluk, Tirunelveli Dist.
3. Year of Construction : 2005
4. Approximate cost of construction as per : Rs. 15,00,00,000 /= Plinth Areas
Current rates . : 138700 Sqft.
5. Purpose for which the building is being : DENTAL COLLEGE & HOSPITAL
used or proposed to be used. : with all facillies & Toilets
6. Purpose for which the building has : Same as above.
hitherto been used.
7. Details of construction of the building :
(Particulars of the foundation soil, speci- : Hard Gravel Soil 2.00 m depth
fication of the various parts under) : RCC framed Structure
- (1). Foundation : R. R. Masonry in Cement
- (2). Basement : R. R. Masonry in Cement
- (3). Superstructure : Brickworks in Cement
- (4). Floor and Roof are to be given : Cement Floor, RCC Slab
8. Period for which the license is required : 3 Years from 01.06. 2021 to 31.05.2024
9. Number of persons to be accommodated : 5000 Nos.


Dated : 30. 05. 2021.


Signature of Engineer GRADE I A
Alhaj. Er. M. ADAM, B.E.,
Collectorate Panel Engineer GRADE-I A
D. Dist. No. 15146/2002 dt. 9.4.2002
Main Road, Singampathu, Kalakad
Tirunelveli Dist. Cell: 9442260986
Cell : 94422 60986

10. Certified that no additions or alterations have been made to the existing building or Portion of the Building for which this application has been made. I undertake to obtain fresh license in case any addition or alteration is made to the existing building or portion of building. I also undertake to obtain fresh license if the purpose for which the license was granted for the use of the building or a portion of the building originally is changed or altered subsequently.



Dated :


15/12/2023
PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.


Signature of the Owner/Occupier of the Building
CHAIRMAN,

RAJAS DENTAL COLLEGE & HOSPITAL, 2
KAVALKINARU JN-627 105
TIRUNELVELI DISTRICT

FORM B

Form of Certificate of Structural Soundness under Sub-Section (4) of Section 4 of the Tamilnadu Public Building (Licensing) Act. 1965 (Tamilnadu Act. 13 of 1965) referred to in Rule 4 of the Tamilnadu Public Buildings (Licensing) Rules, 1966 and G.O. M.S. No. 393 School Education Department dated 11. 09. 1997.

I CERTIFY that I have inspected the building, **RAJAS DENTAL COLLEGE & HOSPITAL**, D. No. 9/140 A, Main Road, Ward No. 6, Kavalkinaru Panchayat, Radhapuram Taluk, mentioned in the statement and furnish below its salient Technical features :

1) Foundation :

- i) Depth below Ground Level : 2.00 m.
- ii) Nature of soil met with at foundation level : Hard Gravel Soil.
- iii) Pressure at foundation : 2.00 Kg / Sq.cm
- iv) Probable safe bearing capacity of the strata met with at foundation : 5.00 Kg / Sq.cm

2) Superstructure :

- i) Maximum stress in the most critical section of masonry and concrete : RCC framed Structure
: 2.00 Kg / Sq.cm
- ii) Nature of Masonry and its safe permissible stress : Brickwork in Cement
: 5.00 Kg / Sq.cm


The structural soundness of the building has been verified by me with reference to Indian Standard Institute Loading Standards 875 (Latest Version) and other relevant Indian Standard Code of Practice and I declare that the building is structurally sound to be used as public building for the purpose noted in the statement. A License may be granted for the period of 3 years from 01. 06. 2021 to 31. 05. 2024 both inclusive.

Dated: 30, 05. 2021.

Registration No. : D. Dis. 15146 / 2002
dt. 09. 04. 2002.

Category : GRADE I A.

Address : Alhaj. ER. M. ADAM, B.E.,
Civil Engineer & Valuer,
Main Road, Singampathu,
Kalakad - 627 501,
Tirunelveli District.



Signature of Engineer GRADE I A.
Alhaj. Er. M. ADAM, B.E.,
Collectorate Panel Engineer GRADE-I A
D. Dist. No. 15146/2002 dt. 9.4.2002
Main Road, Singampathu, Kalakad
Tirunelveli Dist. Cell: 9442260986
Cell ; 94422 60986



PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL 3
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



STATEMENT TO ACCOMPANY THE CERTIFICATE OF STRUCTURAL SOUNDNESS

Location of the Building - D.No. Street and Name of the Place	Age of Bldg.	Number of Storeys	Short description of structures, steel, RCC framed or load bearing masonry	Purpose for which the building is certified for use	The period for which the building will be structurally sound	Number of persons to be accommodated
1	2	3	4	5	6	7

<p>RAJAS DENTAL COLLEGE, & HOSPITAL,</p> <p>Sy.Nos. 1965, 1967 & 1970, D. No. 9 /140 A, Main Road,</p> <p>Ward No. 6, Kavalkinaru Panchayat, Radhapuram Taluk Tirunelveli District</p>	16 Yrs	Three	RCC framed Structure	<p>DENTAL COLLEGE & HOSPITAL PURPOSES</p> <p>with all facilities & Toilets</p>	<p>3 years from 01. 06. 2021 to 31. 05. 2024</p>	5000 Nos.
--	--------	-------	----------------------	--	--	-----------

Date : 30. 05. 2021.

Signature of Engineer **GRADE I A**

Alhaj. Er. M. ADAM, B.E.,
Collectorate Panel Engineer GRADE-I A
D. Dist. No. 15146/2002 dt. 9.4.2002
Main Road, Singampathu, Kalakad
Tirunelveli Dist. Cell: 9442260986

FORM C DECLARATION

I, M. Adam, B.E., do hereby declare that I possess the qualification and experience Specified in the Table to rule II of the Madras Public Buildings Licensing Act, 1966 for issuing the Certificate of Structural soundness of the building covered by this certificate.

Place : Kalakad.

Date : 30. 05. 2021.

Reg. No. : D. Dis. 15146 / 2002
dt. 09. 04. 2002.

Category : **GRADE I A.**

Address : Alhaj. ER. M. ADAM, B.E.,
Civil Engineer & Valuer,
Main Road, Singampathu,
Kalakad - 627 501.

Signature of Engineer **GRADE I A**

Alhaj. Er. M. ADAM, B.E.,
Collectorate Panel Engineer GRADE-I A,
D. Dist. No. 15146/2002 dt. 9.4.2002
Main Road, Singampathu, Kalakad
Tirunelveli Dist. Cell: 9442260986

Cell : 94422 60986



Alhaj. Er. M. Adam
PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

FORM-D

Form of license under sub-section (1) of section 6 on 6 of the TamilNadu Public Building (Licensing) Act 1965 (Madras Act 13 of 1965) referred to in the Rules the Tamil Nadu Public Building Licensing Rules 1965.


License No. 25/2018

Fees Rs.2000/-
Indian Overseas Bank,
Radhapuram
Chellan No:103
Dated: 21.05.2021

Registration No.K.Dis.B2/1099/2021

Dated: 21.05.2021


License is here by granted to **The Correspondent/Secretary,Rajas Dental college and Hospital,sy.no.1965,1967,and 1970,No.9/140a,Main road kavalkinaru Radhapuram Taluk,Tirunelveli District.** for the purpose and in respect of the building specified is the statement below and subject to the condition and for the Period mentioned hereunder.
The Period of validity of the license shall be from (inclusive) 01.06.2021 To 31.05.2024



Tahsildar
Radhapuram
8/5/2021

STATEMENT TO ACCOMPANY THE LICENSE

Location of the Building	Purpose for which the building is Licensed to be used as a Public Building	No.of persons to be Accommodated
The Correspondent/Secretary Rajas Dental college and Hospital, sy.no.1965,1967,and 1970, No.9/140A,Main road kavalkinaru Radhapuram Taluk, Tirunelveli District.	College Purpose	5000Nos



Tahsildar
Radhapuram
8/5/2021

TO

**The Correspondent/Secretary
Rajas Dental college and Hospital,
Sy.no.1965,1967,and 1970,
No.9/140A,Main road kavalkinaru,
Radhapuram Taluk,
Tirunelveli District**



**PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT,**

GOVERNMENT OF TAMILNADU
DEPARTMENT OF PUBLIC HEALTH AND PREVENTIVE MEDICINE

OCCUPATION CERTIFICATE (குடியேறும் சான்றிதழ்)

(Given Under Sec 26,33 of TNPH Act 1939)

Certificate No: 211/2019

Date: 01.07.2019

This is to certify that **RAJAS DENTAL COLLEGE & HOSPITAL, KAVALKINARU, RADHAPURAM Taluk, Tirunelveli District** Survey. 1969A1&A2, 1970/A1 Building belongs to **The CHAIRMAN, RAJAS DENTAL COLLEGE & HOSPITAL, KAVALKINARU,, RADHAPURAM Taluk, Tirunelveli District** is provided with water, Sanitation, Drainage facility as per requirement of the TNPH Act 1939 and fit for Occupation. This certificate issued with the following conditions.

1. The Certificate is valid for this Building only on survey No. 1969A1&A2, 1970/A1 **Sq.ft. 1,99,594**
2. If any New Building/Additional Building is built separate certificate should be obtained.
3. No sullage, Sewage should be let out in street or in any other water course
4. The Building should not be a place for Fly Nuisance.
5. The Building should not be a place for Mosquito Nuisance.
6. The Building should not be a place of infective disease like ADD, cholera and other communicable diseases.
7. The solid waste should be disposed as per solid waste management rules.
8. If swimming pool is maintained water should be disinfected daily
9. If the building is not properly maintained the certificate is liable to be cancelled.

Signature of the Inspecting Authority.


Deputy Director of Health Services,
Tirunelveli District



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105,
TIRUNELVELI DISTRICT

தமிழ்நாடு தீயணைப்பு மற்றும் மீட்புப்பணித்துறை

படிவம்-41

ஓ.மு.எண். 185/ஈ/2023

நாள். 23.01.2023

மாவட்ட அலுவலர் அலுவலகம்,
தீயணைப்பு மற்றும் மீட்பு பணிகள்,
திருநெல்வேலி மாவட்டம்.

தடையின்மைச் சான்று

பொருள் : தீயணைப்பு-மீட்புப் பணித்துறை - திருநெல்வேலி மாவட்டம் -
கட்டிடங்கள் சட்டமும் விதிகளும் - தீத்தடுப்பு
முன்னெச்சரிக்கை நடவடிக்கை- தடையின்மைச் சான்று
வழங்குதல்.

பார்வை : 1) திருநெல்வேலி மாவட்டம், காவல்கிணறு சந்திப்பு, Rajas
Medical Institutions, Chairman விண்ணப்பம்.
2) 12.01.2023 நாளிட்ட வள்ளியூர் நிலைய அலுவலரது கடித
ந.க.எண். 20/2023

திருநெல்வேலி மாவட்டம், இராதாபுரம் தாலுகா, காவல்கிணறு சந்திப்பு, திருராஜபுரம்,
நாகர்கோவில் ரோடு, எண். 9/140A என்ற முகவரியில் உள்ள இடம் 11.01.2023 அன்று வள்ளியூர்
நிலைய அலுவலரால் ஆய்வு செய்யப்பட்டது.

அவ்விடத்தில் தரைதளம், முதல்தளம் மற்றும் இரண்டாம் தளம் (G+2) கொண்ட
கட்டிடத்தில் "Rajas Medical Institutions" சார்பாக St.Berchmen's Boys Hostel நடத்த கீழ்க்கண்ட
நிபந்தனைகளுக்குட்பட்டு தீயணைப்பு மற்றும் மீட்புப் பணிகள் துறையின் தடையின்மைச் சான்று
வழங்கலாகிறது.

நிபந்தனைகள்

- 1) மேல்நிலை நீர்தேக்க தொட்டி மற்றும் தரைமட்ட நீர்தேக்க தொட்டி ஆகியவற்றில் எந்நேரமும்
நீர்நிரப்பி அவசர காலங்களில் பயன்படுத்த தயார் நிலையில் இருக்க வேண்டும்.
- 2) தீயணைப்பாளர்கள் காலமுறையாக மறுநிரப்பம் செய்தும் தீவாளிகள் எந்நேரமும் பயன்படுத்தும்
வகையில் இருக்க வேண்டும்.
- 3) முதல்தளம் பெட்டிகள் அவசர காலத்தில் பயன்படுத்த தயார் நிலையில் வைக்க வேண்டும்.
- 4) வராண்டா / நடைபாதை ஆகியவற்றில் தேவையற்ற பொருட்களை தடை ஏற்படும் வகையில்
வைக்காமல் காலியாக விடப்பட வேண்டும்.
- 5) பக்கதிறவிடங்கள் அவசர கால ஊர்தி மற்றும் நோயாளர் ஊர்தி எளிதில் அணுகும் வகையில் காலியாக
விடப்பட வேண்டும்.
- 6) வாட்ச்மேன்கள் மற்றும் பணியாளர்களுக்கு தீயணைப்பு உபகரணங்களை கையாளுவதற்கு
காலமுறையாக பயிற்சி அளிக்கப்பட வேண்டும்.
- 7) ஆறு மாதங்களுக்கு ஒரு முறை அவசர கால ஒத்திகை பயிற்சி (Mock Drill) நடத்தப்பட வேண்டும்.
- 8) ஆய்வின்போது காணப்பட்ட கட்டிடத்தில் எவ்வித மாற்றங்களும் செய்யக்கூடாது. அவ்வாறு
மாற்றங்கள் ஏதும் செய்தால், இத்தடையின்மைச் சான்று தானாகவே இரத்தாகிவிடும் எனவும்
தெரிவிக்கலாகிறது.
- 9) NBC 2016 part IV-ல் குறிப்பிடப்பட்டுள்ள தீப்பாதுகாப்பு மற்றும் உயிர் பாதுகாப்பு முன்னெச்சரிக்கை
விதிகளை தவறாது பின்பற்றப்பட வேண்டும்.
- 10) இத்தடையின்மைச்சான்று வழங்கப்பட்ட நாளிலிருந்து ஓராண்டுக்கு மட்டுமே செல்லத்தக்கதாகும்.

அலுவலக முத்திரை



மாவட்ட அலுவலர்,
தீயணைப்பு-மீட்புப்பணித்துறை,
திருநெல்வேலி மாவட்டம்.



பெறுநர்: Chairman, Rajas Medical Institutions, Kavalkinaru Junction, Tirunelveli District-627105.

படி : துணை இயக்குநர், தீயணைப்பு-மீட்புப் பணித்துறை, தென்மண்டலம், மதுரை.



L.Dis.No. 12998 /A15/2022

O/o Deputy Director of Health Services
Tirunelveli.

Date : .2023

SANITARY CERTIFICATE FOR THE HOSTEL

TALUK: RADHAPURAM
BLOCK: VALLIOOR

DISTRICT: TIRUNELVELI
YEAR: 2022 - 2023

CERTIFICATE

I hereby declare that I have caused to be inspected the **BERCHMAN'S BOYS HOSTEL, KAVALKINARU JN, VALLIOOR BLOCK** building and premises on 15.02.2023 and certify that the accommodation provided for each of the several room is sufficient for the maximum number of boys staying therein and is properly ventilated and lighted, that the building is maintained in substantial repair, that it is neat and clean, that the latrine arrangements are adequate and satisfactory, that the supply of drinking water is wholesome good, and that in all other necessary aspects, the sanitation is **GOOD.**

This certificate is valid one year from the date of issuing the certificate.

Sanitary Certificate is issued with the following conditions prescribed in the Annexure enclosed.

Counter signed

Deputy Director of Health Services
Tirunelveli.

Block Health Supervisor
Govt. Primary Health Centre,
VADAKKANKULAM

PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105,
TIRUNELVELI DISTRICT.



FORM A

Form of Application under sub-section (1) / sub-section (2) of section 4 of the Madras Public Buildings (licensing) Act 1965 (Madras Act 13 of 1965 referred to in rule 3 of the Madras Public Buildings (Licensing) Rules, 1966.

From

The Correspondent / Secretary,
BERCHMAN'S BOYS HOSTEL,
No. 9 /140 A, Nagercoil Road,
Thirurajapuram, Kavalkinaru,
Radhapuram Taluk.

To

The Tahsildar,
Taluk Office,
Radhapuram.

Sir,

I intend / to use the building / to continue to use the existing public building which is situated in the site or plot of land, Berchman's Boys Hostel, Sy.No. 1970 /A1, D.No. 9 /140 A, Nagercoil Road, Thirurajapuram, Ward No. 6, Kavalkinaru Panchayat, Radhapuram Taluk and specified in the statement enclosed as a public building for a period of 3 years from 01.06.2021 to 31.05.2024.

2. The year of construction and the present approximate cost of construction and the purpose or which it is to be used or is being used as public building are also furnished in the statement accompanying this Application.

3. I enclose a chalan for Rs.

4. I also enclose a certificate of structural soundness in the prescribed form furnished by the Collectorate Panel Engineer GRADE I A, Reg. No. D. Dis. 15146 / 2002 dt. 09.04.2002 Er. M. Adam, B.E., Civil Engineer, Main Road, Singampathu, Kalakad.

Dated the

Signature of the Owner/Occupier of the Building.

CHAIRMAN,

RAJAS DENTAL COLLEGE & HOSPITAL,
KAVALKINARU JN-627 105

Enclosures: 1. Statement.

2. Chalan for Rs.

3. Certificate of Structural Soundness.

towards the Application Fees.

TIRUNELVELI DISTRICT

PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT,


"Explanation" : Separate application shall be made in respect of each building.



Statement Accompanying FORM A

1. No. of the Building : D. No. 9/140 A,
2. Location (Street, Ward No., Name of Place, Corporation / Municipality / Panchayat / Town-ship / Contonment) : BERCHMAN'S BOYS HOSTEL,
Nagercoil Road, Thirurajapuram,
Ward No. 6, Kavalkinaru Panchayat,
Radhapuram Taluk, Tirunelveli Dist.
3. Year of Construction : 2003
4. Approximate cost of construction as per Current rates . : Rs. 2,00,00,000 /=- Plinth Areas
19950 Sqft.
5. Purpose for which the building is being used or proposed to be used. : HOSTEL PURPOSE
with all facilities & Toilets
6. Purpose for which the building has hitherto been used. : Same as above.
7. Details of construction of the building (Particulars of the foundation soil, specification of the various parts under) :
(1). Foundation : Hard Gravel Soil 2.00 m depth
RCC framed Structure
(2). Basement : R.R. Masonry in Cement
(3). Superstructure : Brickworks in Cement
(4). Floor and Roof are to be given : Cement Floor, RCC Slab
8. Period for which the license is required : 3 Years from 01.06.2021 to 31.05.2024
9. Number of persons to be accommodated : 650 Nos.

Dated : 30. 05. 2021.


Signature of Engineer GRADE I A
Alhaj. Er. M. ADAM, B.E.,
Collectorate Panel Engineer GRADE-I A
P. Dist. No. 15146/2002 dt. 9.4.2002
Main Road, Singampathu, Kalakad
Tirunelveli Dist. Cell: 9442260986
Cell : 94422 60986


10. Certified that no additions or alterations have been made to the existing building or Portion of the Building for which this application has been made. I undertake to obtain fresh license in case any addition or alteration is made to the existing building or portion of building. I also undertake to obtain fresh license if the purpose for which the license was granted for the use of the building or a portion of the building originally is changed or altered subsequently.



Dated :


15/05/2021
PRINCIPAL

Signature of the Owner/Occupier of the Building
CHAIRMAN,
RAJAS DENTAL COLLEGE & HOSPITAL,
KAVALKINARU JN - 627 105,
TIRUNELVELI DISTRICT,


RAJAS DENTAL COLLEGE & HOSPITAL,
KAVALKINARU JN-627 105
TIRUNELVELI DISTRICT

FORM B

of Certificate of Structural Soundness under Sub-Section (4) of Section 4 of the Tamilnadu Public Building (Licensing) Act, 1965 (Tamilnadu Act. 13 of 1965) referred to in Rule 4 of the Tamilnadu Public Buildings (Licensing) Rules, 1966 and G.O. M.S. No. 393 School Education Department dated 11. 09. 1997.

I CERTIFY that I have inspected the building, BERCHMAN'S BOYS HOSTEL,
D. No. 9 /140 A, Nagercoil Road, Thirurajapuram, Ward No. 6, Kavalkinaru Panchayat,
Radhapuram Taluk, mentioned in the statement and furnish below its salient Technical
features :

1) Foundation :

- i) Depth below Ground Level : 2.00 m.
ii) Nature of soil met with at foundation level : Hard Gravel Soil.
iii) Pressure at foundation : 2.00 Kg / Sq.cm
iv) Probable safe bearing capacity of the strata met with at foundation : 5.00 Kg / Sq.cm

2) Superstructure :

- i) Maximum stress in the most critical section of masonry and concrete : RCC framed Structure
: 2.00 Kg / Sq.cm
ii) Nature of Masonry and its safe permissible stress : Brickwork in Cement
: 5.00 Kg / Sq.cm


The structural soundness of the building has been verified by me with reference to Indian Standard Institute Loading Standards 875 (Latest Version) and other relevant Indian Standard Code of Practice and I declare that the building is structurally sound to be used as public building for the purpose noted in the statement. A License may be granted for the period of 3 years from 01. 06. 2021 to 31. 05. 2024 both inclusive.

Dated: 30. 05. 2021.

Registration No. : D. Dis. 15146 / 2002
dt. 09. 04. 2002.

Category : GRADE I A.

Address : Alhaj. ER. M. ADAM, B.E.,
Civil Engineer & Valuer,
Main Road, Singampathu,
Kalakad - 627 501,
Tirunelveli District.



Signature of Engineer GRADE I A.

Alhaj. Er. M. ADAM, B.E.,
Collectorate Panel Engineer GRADE-I A
D. Dist. No. 15146/2002 dt. 9.4.2002
Main Road, Singampathu, Kalakad
Tirunelveli Dist. Cell: 9442260986
Cell ; 94422 60986



PRINCIPAL


RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105,
TIRUNELVELI DISTRICT.



STATEMENT TO ACCOMPANY THE CERTIFICATE OF STRUCTURAL SOUNDNESS

Sl. No. of the Bldg - D.No. and Name of the Place	Age of Bldg.	Number of Storeys	Short description of structures, steel, RCC framed or load bearing masonry	Purpose for which the building is certified for use	The period for which the building will be structurally sound	Number of persons to be accommodated
1	2	3	4	5	6	7
BERCHMAN'S BOYS HOSTEL, Sy.No. 1970 /A1, D. No. 9/140 A, Nagercoil Road, Thirurajapuram, Ward No. 6, Kavalkinaru Panchayat, Radhapuram Taluk Tirunelveli District	18 Yrs	Three	RCC framed Structure	HOSTEL PURPOSE with all facilities & Toilets	3 years from 01. 06. 2021 to 31. 05. 2024	650 Nos.

Date : 30. 05. 2021.


Signature of Engineer GRADE I A
Alhaj. Er. M. ADAM, B.E.,
Collectorate Panel Engineer GRADE-I A
D. Dist. No. 15146/2002 dt. 9.4.2002
Main Road, Singampathu, Kalakad
Tirunelveli Dist. Cell: 9442260986

FORM C DECLARATION

I, M. Adam, B.E., do hereby declare that I possess the qualification and experience Specified in the Table to rule II of the Madras Public Buildings Licensing Act, 1966 for issuing the Certificate of Structural soundness of the building covered by this certificate.

Place : Kalakad.

Date : 30. 05. 2021.

Reg. No. : D. Dis. 15146/2002
dt. 09. 04. 2002.

Category : GRADE I A.

Address : Alhaj. ER. M. ADAM, B.E.,
Civil Engineer & Valuer,
Main Road, Singampathu,
Kalakad - 627 501.


Signature of Engineer GRADE I A

Alhaj. Er. M. ADAM, B.E.,
Collectorate Panel Engineer GRADE-I A
D. Dist. No. 15146/2002 dt. 9.4.2002
Main Road, Singampathu, Kalakad
Tirunelveli Dist. Cell: 9442260986

Cell : 94422 60986




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

தமிழ்நாடு தீயணைப்பு மற்றும் மீட்புப்பணித்துறை

படிவம்-41

(ஆணை எண் 250(3))

ஓ.மு.எண்.7989/ஈ/2022

நாள். 28.12.2022

மாவட்ட அலுவலர் அலுவலகம்,
தீயணைப்பு-மீட்பு பணிகள்,
திருநெல்வேலி மாவட்டம்.

தடையின்மைச் சான்று

பொருள் : தீயணைப்பு- மீட்புப்பணித் துறை - திருநெல்வேலி மாவட்டம் -
கட்டிடங்கள் சட்டமும் விதிகளும் - தீஅபாயமிக்க இடங்களுக்கு
தடையின்மைச் சான்று வழங்குதல்.

- பார்வை. 1) Chairman, Rajas Medical Institutions, Kavalkinaru Junction, Tirunelveli
District என்பவரது விண்ணப்பம்.
2) 22.12.2022 நாளிட்ட வள்ளியூர் நிலைய அலுவலரது கடித
ந.க.எண். 524/2022.

திருநெல்வேலி மாவட்டம், ராதாபுரம் தாலுகா, காவல்கிணறு சந்திப்பு, நாகர்கோவில்
ரோடு, க.எண்.9/140D என்ற முகவரியில் உள்ள இடம் 21.12.2022 அன்று வள்ளியூர் நிலைய
அலுவலரால் ஆய்வு செய்யப்பட்டது.

அவ்விடத்தில் தரைதளம் மற்றும் முதல்தளம் (G+1) கொண்ட கட்டிடத்தில்
"St.Alphonsa Ladies Hostel" என்ற பெயரில் மாணவியர் தங்கும் ஹிஸ்டரி நடத்த கீழ்க்கண்ட
நிபந்தனைகளுக்குட்பட்டு தீயணைப்பு-மீட்பு பணித்துறையின் தடையின்மைச் சான்று
வழங்கலாகிறது.

நிபந்தனைகள்

- 1) மேல்நிலை நீர்தேக்க தொட்டி மற்றும் தரைமட்ட நீர்தேக்க தொட்டி ஆகியவற்றில் எந்நேரமும்
நீர்நிர்ப்பி அவசர காலங்களில் பயன்படுத்த தயார் நிலையில் இருக்க வேண்டும்.
- 2) தீயணைப்பாளர்கள் காலமுறையாக மறுநிரப்பம் செய்தும் தீவாளிகள் எந்நேரமும் பயன்படுத்தும்
வகையில் இருக்க வேண்டும்.
- 3) முதல்தளம் பெட்டிகள் அவசர காலத்தில் பயன்படுத்த தயார் நிலையில் வைக்க வேண்டும்.
- 4) வராண்டா / நடைபாதை ஆகியவற்றில் தேவையற்ற பொருட்களை தடை ஏற்படும் வகையில்
வைக்காமல் காலியாக விடப்பட வேண்டும்.
- 5) பக்கதிறவிடங்கள் அவசர கால ஊர்தி மற்றும் நோயாளர் ஊர்தி எளிதில் அணுகும் வகையில் காலியாக
விடப்பட வேண்டும்.
- 6) வாட்ச்மேன்கள் மற்றும் பணியாளர்களுக்கு தீயணைப்பு உபகரணங்களை கையாளுவதற்கு
காலமுறையாக பயிற்சி அளிக்கப்பட வேண்டும்.
- 7) ஆறு மாதங்களுக்கு ஒரு முறை அவசர கால ஒத்திகை பயிற்சி (Mock Drill) நடத்தப்பட வேண்டும்.
- 8) ஆய்வின்போது காணப்பட்ட கட்டிடத்தில் எவ்வித மாற்றங்களும் செய்யக்கூடாது. அவ்வாறு
மாற்றங்கள் ஏதும் செய்தால், இத்தடையின்மைச் சான்று தானாகவே இரத்தாகிவிடும் எனவும்
தெரிவிக்கலாகிறது.
- 9) NBC 2016 part IV-ல் குறிப்பிடப்பட்டுள்ள தீப்பாதுகாப்பு மற்றும் உயிர் பாதுகாப்பு முன்னெச்சரிக்கை
விதிகளை தவறாது பின்பற்றப்பட வேண்டும்.
- 10) இத்தடையின்மைச்சான்று வழங்கப்பட்ட நாளிலிருந்து ஓராண்டுக்கு மட்டுமே செல்லத்தக்கதாகும்.

அலுவலக முத்திரை



மாவட்ட அலுவலர்,
தீயணைப்பு-மீட்புப்பணித்துறை,
திருநெல்வேலி மாவட்டம்.

PRINCIPAL



பெறுநர் : சேர்மன், ராஜாஸ் மெடிக்கல் இன்ஸ்டிடியூசன்ஸ், காவல்கிணறு சந்திப்பு,
திருநெல்வேலி மாவட்டம்-627 105.

படி : துணை இயக்குநர், தீயணைப்பு-மீட்பு பணித்துறை, தென்மண்டலம், மதுரை.

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



L.Dis.No. 12999/A15/2023

O/o Deputy Director of Health Services
Tirunelveli.

Date : .2023

SANITARY CERTIFICATE FOR THE HOSTEL

TALUK: RADHAPURAM
BLOCK: VALLIOOR

DISTRICT: TIRUNELVELI
YEAR: 2022 - 2023

CERTIFICATE

I hereby declare that I have caused to be inspected the **ST.ALPHONSA GIRLS HOSTEL, KAVALKINARU JN, VALLIOOR BLOCK** building and premises on 15.02.2023 and certify that the accommodation provided for each of the several room is sufficient for the maximum number of girls staying therein and is properly ventilated and lighted, that the building is maintained in substantial repair, that it is neat and clean, that the latrine arrangements are adequate and satisfactory, that the supply of drinking water is wholesome good, and that in all other necessary aspects, the sanitation is **GOOD**.

This certificate is valid one year from the date of issuing the certificate.

Sanitary Certificate is issued with the following conditions prescribed in the Annexure enclosed.

Counter signed



Deputy Director of Health Services
Tirunelveli.

15/2/23

PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105, VADAKKANKULAM
TIRUNELVELI DISTRICT,

Block Health Supervisor
Govt. Primary Health Centre,

12/2/23

FORM A

Form of Application under sub section (1) / sub section (2) of section 4 of the Madras Public Buildings (licensing) Act 1965 (Madras Act 13 of 1965 referred to in rule 3 of the Madras Public Buildings (Licensing) Rules, 1966.

From

The Correspondent / Secretary,
ST. ALPHONSA GIRLS HOSTEL,
No. 9 /140 D, Nagercoil Road,
Thirurajapuram, Kavalkinaru,
Radhapuram Taluk.

To

The Tahsildar,
Taluk Office,
Radhapuram.

Sir,

I intend / to use the building / to continue to use the existing public building which is situated in the site or plot of land, St. Alphonsa Girls Hostel, Sy.No. 1966 /1D, D.No. 9 /140 D, Nagercoil Road, Thirurajapuram, Ward No. 6, Kavalkinaru Panchayat, Radhapuram Taluk and specified in the statement enclosed as a public building for a period of 3 years from 01.06.2021 to 31.05.2024.

2. The year of construction and the present approximate cost of construction and the purpose or which it is to be used or is being used as public building are also furnished in the statement accompanying this Application.

3. I enclose a chalan for Rs.

4. I also enclose a certificate of structural soundness in the prescribed form furnished by the Collectorate Panel Engineer GRADE IA, Reg. No. D. Dis. 15146 / 2002 dt. 09. 04. 2002 Er. M. Adam. B.E., Civil Engineer, Main Road, Singampathu, Kalakad.

Dated the

Signature of the Owner/Occupier of the Building.

CHAIRMAN,

RAJAS DENTAL COLLEGE & HOSPITAL,

KAVALKINARU JN-627 105

TIRUNELVELI DISTRICT

towards the Application Fees.

Enclosures: 1. Statement.

2. Chalan for Rs.

3. Certificate of Structural Soundness.


PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT


Explanation: Separate application shall be made in respect of each building



Statement Accompanying FORM A


1. Door No. of the Building : D. No. 9 /140 D,
: ST. ALPHONSA GIRLS HOSTEL,
2. Location (Street, Ward No., Name of Place, : Nagercoil Road, Thirurajapuram,
Corporation / Municipality / Panchayat / : Ward No. 6, Kavalkinaru Panchayat,
Town-ship / Contonment) : Radhapuram Taluk, Tirunelveli Dist.
3. Year of Construction : 2004
4. Approximate cost of construction as per : Rs. 1,80,00,000 /= Plinth Areas
Current rates . : 18342 Sqft.
5. Purpose for which the building is being : HOSTEL PURPOSE
used or proposed to be used. : with all facillies & Toilets
6. Purpose for which the bui:ding has : Same as above.
hitherto been used.
7. Details of construction of the building :
(Particulars of the foundation soil, speci- : Hard Gravel Soil 2.00 m depth
fication of the various parts under) : RCC framed Structure
- (1). Foundation : R. R. Masonry in Cement
- (2). Basement : R.R. Masonry in Cement
- (3). Superstructure : Brickworks in Cement
- (4). Floor and Roof are to be given : Cement Floor, RCC Slab
8. Period for which the license is required : 3 Years from 01.06.2021 to 31.05.2024
9. Number of persons to be accommodated : 600 Nos.


Dated : 30. 05. 2021.


Signature of Engineer GRADE IA
Alhaj. Er. M. ADAM, B.E.,
Collectorate Panel Engineer GRADE-I A
D. Dist. No. 15146/2002 dt. 9.4.2002
'Main Road, Singampathu, Kalakad
Tirunelveli Dist. Cell: 9442260986
Cell : 94422 60986

10. Certified that no additions or alterations have been made to the existing building or Portion of the Building for which this application has been made. I undertake to obtain fresh license in case any addition or alteration is made to the existing building or portion of building. I also undertake to obtain fresh license if the purpose for which the license was granted for the use of the building or a portion of the building originally is changed or altered subsequently.




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT,


Signature of the Owner/Occupier of the Building
CHAIRMAN,
RAJAS DENTAL COLLEGE & HOSPITAL,
KAVALKINARU JN-627 105

FORM B

Form of Certificate of Structural Soundness under Sub- Section (4) of Section 4 of the Tamilnadu Public Building (Licensing) Act. 1965 (Tamilnadu Act. 13 of 1965) referred to in Rule 4 of the Tamilnadu Public Buildings (Licensing) Rules, 1966 and G.O. M.S. No. 393 School Education Department dated 11. 09. 1997.

I CERTIFY that I have inspected the building, **ST. ALPHONSA GIRLS HOSTEL**,
D. No. 9 /140 D, Nagercoil Road, Thirurajapuram, Ward No. 6, Kavalkinaru Panchayat,
Radhapuram Taluk, mentioned in the statement and furnish below its salient Technical
features :

1) Foundation :

- i) Depth below Ground Level : 2.00 m.
ii) Nature of soil met with at foundation level : Hard Gravel Soil.
iii) Pressure at foundation : 2.00 Kg / Sq.cm
iv) Probable safe bearing capacity of the strata met with at foundation : 5.00 Kg / Sq.cm

2) Superstructure :

- i) Maximum stress in the most critical section of masonry and concrete : RCC framed Structure
: 2.00 Kg / Sq.cm
ii) Nature of Masonry and its safe permissible stress : Brickwork in Cement
: 5.00 Kg / Sq.cm


The structural soundness of the building has been verified by me with reference to Indian Standard Institute Loading Standards 875 (Latest Version) and other relevant Indian Standard Code of Practice and I declare that the building is structurally sound to be used as public building for the purpose noted in the statement. A License may be granted for the period of 3 years from 01. 06. 2021 to 31. 05. 2024 both inclusive.

Dated: 30. 05. 2021.

Registration No. : D. Dis. 15146 / 2002
dt. 09. 04. 2002.

Category : GRADE I A.

Address : Alhaj. ER. M. ADAM, B.E.,
Civil Engineer & Valuer,
Main Road, Singampathu,
Kalakad - 627 501,
Tirunelveli District.



Signature of Engineer GRADE I A.
Alhaj. Er. M. ADAM, B.E.,
Collectorate Panel Engineer GRADE-I A
D. Dist. No. 15146/2002 dt. 9.4.2002
Main Road, Singampathu, Kalakad
Tirunelveli Dist. Cell: 9442260986

Cell ; 94422 60986



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

STATEMENT TO ACCOMPANY THE CERTIFICATE OF STRUCTURAL SOUNDNESS

Location of the Building - D.No. Street and Name of the Place	Age of Bldg.	Number of Storeys	Short description of structures, steel, RCC framed or load bearing masonry	Purpose for which the building is certified for use	The period for which the building will be structurally sound	Number of persons to be accommodated
1	2	3	4	5	6	7

<p>ST. ALPHONSA GIRLS HOSTEL,</p> <p>Sy.No. 1966 / 1D, D. No. 9 / 140 D, Nagercoil Road, Thirurajapuram,</p> <p>Ward No. 6, Kavalkinaru Panchayat, Radhapuram Taluk Tirunelveli District</p>	<p>17 Yrs</p> <p>Two</p> <p>RCC framed Structure</p>	<p>HOSTEL PURPOSE</p> <p>3 years from</p> <p>with all facilities & Toilets</p> <p>01. 06. 2021</p> <p>to</p> <p>31. 05. 2024</p>	<p>600 Nos.</p>
---	--	--	-----------------



Date : 30. 05. 2021.

Signature of Engineer GRADE I A
 Alhaj. Er. M. ADAM, B.E.,
 Collectorate Panel Engineer GRADE-I A
 D. Dist. No. 15146/2002 dt. 9.4.2002
 Main Road, Singampathu, Kalakad
 Tirunelveli Dist. Cell: 9442260986

FORM C DECLARATION

I, M. Adam, B.E., do hereby declare that I possess the qualification and experience Specified in the Table to rule II of the Madras Public Buildings Licensing Act, 1966 for issuing the Certificate of Structural soundness of the building covered by this certificate.


Place : Kalakad.

Date : 30. 05. 2021.

Reg. No. : D. Dis. 15146 / 2002
 dt. 09. 04. 2002.

Category : **GRADE I A.**

Address : Alhaj. ER. M. ADAM, B.E.,
 Civil Engineer & Valuer,
 Main Road, Singampathu,
 Kalakad - 627 501.



Signature of Engineer GRADE I A
 Alhaj. Er. M. ADAM, B.E.,
 Collectorate Panel Engineer GRADE-I A
 D. Dist. No. 15146/2002 dt. 9.4.2002
 Main Road, Singampathu, Kalakad
 Tirunelveli Dist. Cell: 9442260986

Cell : 94422 60986




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



TAMILNADU POLLUTION CONTROL BOARD

RENEWAL OF CONSENT ORDER NO:2109239545167

DATE:07/07/2021

PROCEEDINGS NO.F.0602TNV/OS/DEE/TNPCB/TNV/A/2021 DATED: 07/07/2021

Sub :	Tamil Nadu Pollution Control Board – AUTO RENEWAL OF CONSENT –M/s. RAJAS DENTAL COLLEGE HOSPITAL , S.F. No. 1965 to 1970, PERUNGUDI PART 1 village, Radhapuram Taluk and Tirunelveli District- Renewal of Consent for operation of the plant and discharge of emissions under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) – Issued – Reg.
Ref :	1.CTO's.Proc.No.F.TNV 1114/A/2011 Dated:27.06.2011. 2.RCO's.Proc.No.F.0602TNV/OS/DEE/TNPCB/TNV/A/2019 Dated:30.08.2019. 3.Unit's application No.39545167 Dated:16.06.2021. 4.Minutes of the 249th DLCCC meeting held on 05.07.2021(Vide Item No.DLCCC 249-021).

Renewal of Consent is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Managing Director,
M/s . RAJAS DENTAL COLLEGE HOSPITAL
S.F No. 1965 to 1970,
PERUNGUDI PART 1 Village,
Radhapuram Taluk,
Tirunelveli District.

Authorizing the occupier to operate the industrial plant in the Air Pollution Control Area as notified by the Government and to make discharge of emission from the stacks/chimneys.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending - March 31, 2023

AROKIASAMY ROMALT
TERRIC PINTO FDO
Digitally signed by AROKIASAMY
ROMALT TERRIC PINTO FDO
Date: 2021.07.08 22:36:04 +05'30'
District Environmental Engineer,
Tamil Nadu Pollution Control Board,
TIRUNELVELI



Shrey
15/7/2021
PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT



SPECIAL CONDITIONS

TAMILNADU POLLUTION CONTROL BOARD

- 1. This renewal of consent is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Table with 4 columns: SI.No., Description, Quantity, Unit. Includes Product Details and Intermediate Product Details sections.

- 2. This renewal of consent is valid for operating the facility with the below mentioned emission/noise sources along with the control measures and/or stack. Any change in the emission source/control measures/change in stack height has to be brought to the notice of the Board and fresh consent/Amendment has to be obtained

Table with 5 columns: I (Stack No, Point Emission sources, Air pollution Control measures provided, Stack height from Ground Level in m, Gaseous Discharge in Nm3/hr), II (SI.No., Fugitive or Noise Emission sources, Type of Emission, Control measures provided, Quantity).

Special Additional Conditions-

The unit shall install the approved retrofit emission control device/equipment with at least 70% Particulate matter reduction efficiency on all DG sets with capacity of 125 KVA and above or otherwise the unit shall be shift to gas based generators within the time frame prescribed in the notification No.

TNPCB/Labs/DB(L)02151/2019 dated 10.06.2020 issued by TNPCB.

Additional Conditions-

- 1.The hospital shall adhere the Ambient Air Quality / Stack Monitoring / Ambient Noise Level standards prescribed by the Board.
2.The unit shall comply with the provisions of the Bio Medical Waste Management Rules, 2016 as amended.
3.The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018 & G.O.(Ms).No.37, E & F Department dated 05.06.2020.

AROKIASAMY ROMALT TERRIC PINTO FDO Digitally signed by AROKIASAMY ROMALT TERRIC PINTO FDO Date: 2021.07.08 22:36:29 +05'30' District Environmental Engineer, Tamil Nadu Pollution Control Board, TIRUNELVELI

To The Managing Director, M/s.RAJAS DENTAL COLLEGE HOSPITAL, Thirurajapuram, Kavalkinaru Tirunelveli District., Pin: 627105

Copy to:


- 1.The Commissioner, VALLIYUR-Panchayat Union, Radhapuram Taluk, Tirunelveli District .
2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, TIRUNELVELI for favour of kind information.
4. File



This is computer generated, Signature is not required RAJAS DENTAL COLLEGE & HOSPITAL KAVALKINARU JN - 627 105. TIRUNELVELI DISTRICT.

Signature of Principal

PRINCIPAL RAJAS DENTAL COLLEGE & HOSPITAL KAVALKINARU JN - 627 105. TIRUNELVELI DISTRICT.



TAMILNADU POLLUTION CONTROL BOARD

RENEWAL OF CONSENT ORDER NO:2109139545167

DATE:07/07/2021

PROCEEDINGS NO.F.0602TNV/OS/DEE/TNPCB/TNV/W/2021 DATED: 07/07/2021

Sub :	Tamil Nadu Pollution Control Board – AUTO RENEWAL OF CONSENT – M/s. RAJAS DENTAL COLLEGE HOSPITAL S.F No. 1965 to 1970, PERUNGUDI PART 1 Village, Radhapuram Taluk, Tirunelveli District- Renewal of Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) – Issued- Reg.
Ref :	1.CTO's.Proc.No.F.TNV 1114/W/2011 Dated:27.06.2011. 2.RCO's.Proc.No.F.0602TNV/OS/DEE/TNPCB/TNV/W/2019 Dated:30.08.2019. 3.Unit's application No.39545167 Dated:16.06.2021. 4.Minutes of the 249th DLCCC meeting held on 05.07.2021 (Vide Item No.DLCCC 249-021).

Renewal Of Consent is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Managing Director,
M/s . RAJAS DENTAL COLLEGE HOSPITAL
S.F No. 1965 to 1970,
PERUNGUDI PART 1 Village,
Radhapuram Taluk,
Tirunelveli District.

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending - March 31, 2023

AROKIASAMY ROMALT Digitally signed by AROKIASAMY
TERRIC PINTO FDO ROMALT TERRIC PINTO FDO
Date: 2021.07.08 22:37:13 +05'30"
District Environmental Engineer,
Tamil Nadu Pollution Control Board,
TIRUNELVELI




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105,
TIRUNELVELI DISTRICT.



SPECIAL CONDITIONS

TAMILNADU POLLUTION CONTROL BOARD

1. This renewal of consent is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl.No.	Description	Quantity	Unit
a.	Product Details :-		
1.	Hospital	300	Nos
b.	By-Product Details :-		
c.	Intermediate Product Details :-		

2. This renewal of consent is valid for operating the facility with the below mentioned permitted outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal
EFFLUENT TYPE :-			
Effluent Type : Sewage			
1.	Sewage 1	18.0	On Industrys own land
EFFLUENT TYPE :-			
Effluent Type : Trade Effluent			
OUTLET NUMBER	DESCRIPTION OF OUTLET	MAXIMUM DAILY DISCHARGE (IN KLD)	POINT OF DISPOSAL

Additional Conditions-

1. The unit shall treat the sewage through septic tank followed by dispersion trench/ Soak pit so as to satisfy the standards prescribed by the Board.
2. The unit shall ensure that the hospital liquid waste if generated is properly disinfected with sodium hypo chloride solution of adequate concentration specified under the Bio Medical Waste Amendment Rules, 2018 before disposal.
3. The unit shall dispose the Bio Medical Waste through Common Bio-Medical Waste Treatment and Disposal Facility after obtaining authorization of the Board under the Bio Medical Waste Management Rule 2016.
4. The unit shall obtain authorization under Bio Medical Waste Management Rule, 2016 as amended immediately.
5. The unit shall comply the provisions of the Bio Medical Waste Management Rules, 2016.
6. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018.

AROKIASAMY ROMALT
TERRIC PINTO FDO
District Environmental Engineer,
Tamil Nadu Pollution Control Board,
TIRUNELVELI

Digitally signed by AROKIASAMY
ROMALT TERRIC PINTO FDO
Date: 2021.07.08 22:37:42 +05'30'

To
The Managing Director,
M/s.RAJAS DENTAL COLLEGE HOSPITAL,
Thirurajapuram,
Kavalkinaru
Tirunelveli District.,
Pin: 627105



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Copy to:

1. The Commissioner, VALLIYUR-Panchayat Union, Radhapuram
2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, TIRUNELVELI for favour of kind information.
4. File