


View Anti Ragging Report

Annexure -II

Proforma for monitoring the directions of Hon'ble Supreme Court of India on measures against Ragging in educational Institutions.

College Name	:	Rajas Dental College & Hospital								
Address	:	KAVALKINARU JUNCTION TIRUNELVELI DISTRICT								
Telephone No.	:	4637231905								
Name of Principal/Dean	:	Dr.ALEX MATHEWS MURUPPEL								
Contact No	:	8903939333								
Email	:	principal@rajasdentalcollege.c								
1. Whether AntiRagging squads were constituted?	:	YES								
2. Whether Anti Ragging Committe were constituted	:	YES								
3. Whether Prospectus mention possible action against Ragging.	:	YES								
4. Whether names, telephone no's of authorities to contacted have been publicized/made available to freshers	:	<table border="0"> <tr> <th>Name</th> <th>Designation</th> <th>Contact No</th> </tr> <tr> <td>Dr.S.Antony Selvi, M.Sc.,Ph.D</td> <td>Professor & H.O.D</td> <td>9442360859</td> </tr> </table>	Name	Designation	Contact No	Dr.S.Antony Selvi, M.Sc.,Ph.D	Professor & H.O.D	9442360859		
Name	Designation	Contact No								
Dr.S.Antony Selvi, M.Sc.,Ph.D	Professor & H.O.D	9442360859								
5. Whether students are allowed free access to phone(cell & Land line)in hoste?	:	YES								
6. Whether Seniors counseled?	:	YES								
7. Whether Freshers counseled?	:	YES								
8. Whether Orientation Courses for Freshers Conducted?	:	YES								
9. Anti Ragging Squads	:									
(a) Date of Information	:									
(b) Name of member and their contact nos	:	<table border="0"> <tr> <th>Name</th> <th>Contact No</th> </tr> <tr> <td>Dr.I.Packiaraj, MDS</td> <td>9443173903</td> </tr> <tr> <td>Dr.S.Antony Selvi, M.Sc., Ph.D</td> <td>9442360859</td> </tr> <tr> <td>Dr.D.Angeline Deepthi, MDS</td> <td>9994619957</td> </tr> </table>	Name	Contact No	Dr.I.Packiaraj, MDS	9443173903	Dr.S.Antony Selvi, M.Sc., Ph.D	9442360859	Dr.D.Angeline Deepthi, MDS	9994619957
Name	Contact No									
Dr.I.Packiaraj, MDS	9443173903									
Dr.S.Antony Selvi, M.Sc., Ph.D	9442360859									
Dr.D.Angeline Deepthi, MDS	9994619957									
(c) No. of Raids	:									
(d) Frequence of raids	:									
(e) Other measures taken by the squad	:									
(f) No. of cases detected	:									
(g) Action taken by follow up	:									
10. Anti Ragging Committee	:									
(a) Date of Information	:									
(b) Name of member and their contact nos	:	<table border="0"> <tr> <th>Name</th> <th>Contact No</th> </tr> <tr> <td>Dr.I.Packiaraj, MDS</td> <td>9443173903</td> </tr> <tr> <td>Dr.S.Antony</td> <td>9442360859</td> </tr> </table>	Name	Contact No	Dr.I.Packiaraj, MDS	9443173903	Dr.S.Antony	9442360859		
Name	Contact No									
Dr.I.Packiaraj, MDS	9443173903									
Dr.S.Antony	9442360859									




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Selvi,M.Sc.,Ph.D
Dr.D.Angeline Deepthi, 9994619957
MDS
Mr.R.Subramoniam,M.Sc9894805597
Dr.K.Aruna, M.Sc.,Ph.D 9865554246
Dr.Raghu Dhanapal,MDS7708868637
Dr.J.Christinal,
M.Sc.,Ph.D 7010820700

(c)No.of Raids :
 (e)Frequence of raids :
 (f)Other measures taken by the squad :
 (g)No.of cases detected :
 (h)Action taken by follow up :
 11.Enquiry(ies)Conducted :
 12.Punishment meted out :
 13.No.of F.I.R(S) lodged by institution :
 with details
 14.Whether Undertaking received from :
 all the student before the admission?(as YES
 per Annexure I,Part I)
 15.Whether Undertaking received from :
 all the parent/Gardian before the YES
 admission?(as per Annexure I,Part I)

Principal

Rajas Dental College & Hospital



PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



Estd : 1987

RAJAS DENTAL COLLEGE & HOSPITAL

(Affiliated to The Tamil Nadu Dr.M.G.R. Medical University, Accredited by NAAC)

Kavalkinaru Jn. Tirunelveli District - 627105.

DCI Recognition No: DE-3(44)-93/2246

Dated 09/11/1993

RDCH/PIR/CIR/D-1010/ 2021

Date: 06.10.2021

Circular

Anti-Ragging Awareness Meeting

There will be an Anti-Ragging awareness meeting at Silver Jubilee Auditorium today at 2.00pm. The 1st and II year students and Anti- ragging committee members are also requested to be present for the meeting.


6/10/2021
PRINCIPAL

Copy to:-

1. Chairman's Office 
2. Director 
3. Deputy Principal 
4. Vice - Principal 
5. Administrative Officer
6. HR Manager 
7. Transport i/c
8. Notice Board 
9. File Copy 
10. 1st year Co-ordinator 
11. II year Co-ordinator 
12. Disciplinary Committee 
13. Hospital Administrator 



Estd : 1987

RAJAS DENTAL COLLEGE & HOSPITAL

(Affiliated to The Tamil Nadu Dr.M.G.R. Medical University, Accredited by NAAC)

Kavalkinaru Jn. Tirunelveli District - 627105.

DCI Recognition No: DE-3(44)-93/2246

Dated 09/11/1993

RDCH/PIR/CIR/D-1009/ 2021

Date: 02.07.2021

Circular

This is to inform all the staff & students that there will be a Mockdrill on Fire & Safety Rescue procedures in the sports arena of Rajas Dental College and Hospital on 08.07.2021(Thursday) at 02.30PM. All are requested to attend without fail. This is under instruction from the Chairman.


21/07/2021
PRINCIPAL

Copy to:-

1. Chairman's Office 
2. Director 
3. Deputy Principal
4. Vice - Principal 
5. Administrative Officer
6. HR Manager
7. Notice Board 
8. File Copy 
9. Hospital Administrator 

தமிழ்நாடு தீயணைப்பு-மீட்புப் பணித்துறை

படிவம்-41

ஓ.மு.எண். 5107/இ/2020

நாள். 09.12.2020

மாவட்ட அலுவலர் அலுவலகம்,
தீயணைப்பு -மீட்பு பணிகள்,
திருநெல்வேலி மாவட்டம்.

தடையின்மைச்சான்று

பொருள் தீயணைப்பு- மீட்புப்பணித் துறை - திருநெல்வேலி மாவட்டம் -
கட்டிடங்கள் சட்டமும் விதிகளும் - தீஅபாயமிக்க
இடங்களுக்கு தடையின்மைச்சான்று வழங்குதல்.

- பார்வை. 1) சேர்மன், ராஜாஸ் டென்டல் காலேஜ் & ஹாஸ்பிடல்,
காவல்கிணறு என்பாரது விண்ணப்பம்.
2) 26.11.2020 நாளிட்ட வள்ளியூர் நிலைய அலுவலரது கடித
ந.க.எண். 422/2020.

திருநெல்வேலி மாநகரம், ராதாபுரம் தாலுகா, காவல்கிணறு பஞ்சாயத்து, வார்டு
எண்.6, திருராஜபுரம், நாகர்கோவில் ரோடு, கதவு எண் 9/140A என்ற முகவரியில் உள்ள இடம்
26.11.2020 அன்று வள்ளியூர் நிலைய அலுவலரால் ஆய்வு செய்யப்பட்டது.

அவ்விடத்தில் தரைதளம், முதல்தளம் மற்றும் இரண்டாம்தளம் (G+2) கொண்ட
கட்டிடத்தில் "Berchmen's Boys Hostel" என்ற பெயரில் மாணவர்கள் தங்கும் விருதி நடத்த
கீழ்க்கண்ட நிபந்தனைகளுக்குட்பட்டு தீயணைப்பு-மீட்புப் பணித்துறையின்
தடையின்மைச்சான்று வழங்கலாகிறது.

நிபந்தனைகள்

- 1) மேல்நிலை நீர்தேக்க தொட்டியில் எந்நேரமும் நீர் நிரப்பி அவசர காலங்களில்
பயன்படுத்த தயார் நிலையில் இருக்க வேண்டும்.
- 2) தீயணைப்பாளர்கள் குறைந்தபட்சம் நான்கு வீதம் தயார் நிலையில் வைக்கப்பட
வேண்டும்.
- 3) முதலுதவி பெட்டிகள் அவசர காலத்தில் பயன்படுத்த தயார் நிலையில் வைக்க
வேண்டும்.
- 4) வராண்டா / நடைபாதை ஆகியவற்றில் தேவையற்ற பொருட்களை தடை ஏற்படும்
வகையில் வைக்காமல் காலியாக விடப்பட வேண்டும்.
- 5) பக்கதிறவிடங்கள் அவசர கால ஊர்தி மற்றும் நோயாளர் ஊர்தி எளிதில் அணுகும்
வகையில் காலியாக விடப்பட வேண்டும்.
- 6) வாட்ச்மேன் மற்றும் பணியாளர்களுக்கு தீயணைப்பு உபகரணங்களை கையாளுவதற்கு
காலமுறையாக பயிற்சி அளிக்கப்பட வேண்டும்.
- 7) இத்தடையின்மைச்சான்று 09.12.2020 முதல் 08.12.2021 முடிய ஓராண்டுக்கு மட்டும்
செல்லத்தக்கதாகும். மீண்டும் உரிய நாளில் புதுப்பிக்கப்பட வேண்டும்,

அலுவலக முத்திரை

PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVELKINARI, IN-627 105.
TIRUNELVELI DISTRICT.

மாவட்ட அலுவலர்,
தீயணைப்பு-மீட்புப்பணித்துறை,
திருநெல்வேலி மாவட்டம்.

நகல் : துணை இயக்குநர், தீயணைப்பு-மீட்புப் பணித்துறை, தென்மண்டலம், மதுரை.
பணிந்தனுப்பலாகிறது.

தமிழ்நாடு தீயணைப்பு-மீட்புப் பணித்துறை

படிவம்-41

ஓ.மு.எண்.5108/இ/2020

நாள். 09.12.2020

மாவட்ட அலுவலர் அலுவலகம்,
தீயணைப்பு-மீட்பு பணிகள்,
திருநெல்வேலி மாவட்டம்.

தடையின்மைச் சான்று

பொருள் தீயணைப்பு-மீட்புப்பணித் துறை - திருநெல்வேலி மாவட்டம் -
கட்டிடங்கள் சட்டமும் விதிகளும் - தீஅபாயமிக்க இடங்களுக்கு
தடையின்மைச் சான்று வழங்குதல்.

- பார்வை. 1) சேர்மன், ராஜாஸ் டென்டல் காலேஜ் & ஹாஸ்பிடல், காவல்கிணறு,
திருநெல்வேலி மாவட்டம் என்பாரது விண்ணப்பம்.
2) 26.11.2020 நாளிட்ட வள்ளியூர் நிலைய அலுவலரது கடித
ந.க.எண். 424/2020.


திருநெல்வேலி மாநகரம், ராதாபுரம் தாலுகா, காவல்கிணறு பஞ்சாயத்து, வார்டு எண் 6,
திருராஜபுரம், நாகர்கோவில் ரோடு என்ற முகவரியில் உள்ள இடம் 26.11.2020 அன்று வள்ளியூர்
நிலைய அலுவலரால் ஆய்வு செய்யப்பட்டது.

அவ்விடத்தில் தரைதளம், முதல்தளம் மற்றும் இரண்டாம்தளம் (G+1) கொண்ட
கட்டிடத்தில் "St.Alphonsa Ladies Hostel" என்ற பெயரில் மாணவியர் தங்கும் விருதி நடத்த
கீழ்க்கண்ட நிபந்தனைகளுக்குட்பட்டு தீயணைப்பு-மீட்புப் பணித்துறையின் தடையின்மைச் சான்று
வழங்கலாகிறது.

நிபந்தனைகள்

- 1) மேல்நிலை நீர்தேக்க தொட்டியில் எந்நேரமும் நீர் நிரப்பி அவசர காலங்களில் பயன்படுத்த
தயார் நிலையில் இருக்க வேண்டும்.
- 2) தீயணைப்பாளர்கள் குறைந்தபட்சம் நான்கு வீதம் தயார் நிலையில் வைக்கப்பட வேண்டும்.
- 3) முதலுதவி பெட்டிகள் அவசர காலத்தில் பயன்படுத்த தயார் நிலையில் வைக்க வேண்டும்.
- 4) வராண்டா / நடைபாதை ஆகியவற்றில் தேவையற்ற பொருட்களை தடை ஏற்படும் வகையில்
வைக்காமல் காலியாக விடப்பட வேண்டும்.
- 5) பக்கதிறவிடங்கள் அவசர கால ஊர்தி மற்றும் நோயாளர் ஊர்தி எளிதில் அணுகும் வகையில்
காலியாக விடப்பட வேண்டும்.
- 6) வாட்ச்மேன் மற்றும் பணியாளர்களுக்கு தீயணைப்பு உபகரணங்களை கையாளுவதற்கு
காலமுறையாக பயிற்சி அளிக்கப்பட வேண்டும்.
- 7) இத் தடையின்மை சான்று 09.12.2020 முதல் 08.12.2021 முடிய ஓராண்டுக்கு மட்டும்
செல்லத்தக்கதாகும். மீண்டும் உரிய நாளில் புதுப்பிக்கப்பட வேண்டும்.

அலுவலக முத்திரை



PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

பெறுநர் : சேர்மன், ராஜாஸ் டென்டல் காலேஜ் & ஹாஸ்பிடல், காவல்கிணறு,
திருநெல்வேலி மாவட்டம்.

நகல் : துணை இயக்குநர், தீயணைப்பு-மீட்புப் பணித்துறை, தென்மண்டலம், மதுரை.
பணிந்தனுப்பலாகிறது.

09/12/20
மாவட்ட அலுவலர்,
தீயணைப்பு-மீட்புப்பணித்துறை,
திருநெல்வேலி. மாவட்டம்.
9/12/20



தமிழ்நாடு தீயணைப்பு-மீட்புப் பணித்துறை

படிவம்-41

ஓ.மு.எண். 5125/இ/2020

நாள். 05.12.2020

மாவட்ட அலுவலர் அலுவலகம்,
தீயணைப்பு -மீட்பு பணிகள்,
திருநெல்வேலி மாவட்டம்.

தீ உரிமம்

- பொருள் தீயணைப்பு- மீட்புப்பணித் துறை - திருநெல்வேலி மாவட்டம் -
மருத்துவமனை கட்டிடங்கள் சட்டமும் விதிகளும் -
தீஅபாயமிக்க இடங்களுக்கு தீ உரிமம் வழங்குதல்.
- பார்வை 1) Chairman, Rajas Dental College & Hospital, Kavalkinaru Jn-
627 105, திருநெல்வேலி மாவட்டம் என்பாரது விண்ணப்பம்
2) 26.11.2020 நாளிட்ட வள்ளியூர் நிலைய அலுவலர் ஆய்வறிக்கை
கடித ந.க.எண்.423/2020.


திருநெல்வேலி மாவட்டம், இராதாபுரம் வட்டம், காவல்கிணறு கிராம பஞ்சாயத்து,
காவல்கிணறு சந்திப்பு, கதவு எண் 9/140 A, மெயின் ரோடு, சர்வே எண். 1965, 1966, 1967, 1968
மற்றும் 1970 என்ற முகவரியில் உள்ள இடம் 26.11.2020 அன்று வள்ளியூர் நிலைய அலுவலரால்
ஆய்வு செய்யப்பட்டது.

அவ்விடத்தில் தரைதளம், முதல்தளம் மற்றும் இரண்டாம் தளம் (G+2) மட்டும் கொண்ட
கட்டிடத்தில் "Rajas Dental College & Hospital" என்ற பெயரில் பல் மருத்துவ கல்லூரி மற்றும்
மருத்துவமனை நடத்த கீழ்க்கண்ட நிபந்தனைகளுக்குட்பட்டு தீயணைப்பு-மீட்புப் பணித்துறையின்
தீ உரிமம் வழங்கலாகிறது.

நிபந்தனைகள்

- 1) மேல்நிலை நீர்தேக்க தொட்டி மற்றும் தரைமட்ட நீர்தேக்க தொட்டி ஆகியவற்றில்
எந்நேரமும் நீர்நிரப்பி அவசர காலங்களில் பயன்படுத்த தயார் நிலையில் இருக்க வேண்டும்.
- 2) தீயணைப்பாளர்கள் காலமுறையாக மறுநிரப்பம் செய்தும் தீவானிகள் எந்நேரமும்
பயன்படுத்தும் வகையில் இருக்க வேண்டும்.
- 3) முதல்தளம் பெட்டிகள் அவசர காலத்தில் பயன்படுத்த தயார் நிலையில் வைக்க வேண்டும்.
- 4) வராண்டா / நடைபாதை ஆகியவற்றில் தேவையற்ற பொருட்களை தடை ஏற்படும் வகையில்
வைக்காமல் காலியாக விடப்பட வேண்டும்.
- 5) பக்கதிறவிடங்கள் அவசர கால ஊர்தி மற்றும் நோயாளர் ஊர்தி எளிதில் அணுகும் வகையில்
காலியாக விடப்பட வேண்டும்.
- 6) வாட்ச்மேன்கள் மற்றும் பணியாளர்களுக்கு தீயணைப்பு உபகரணங்களை கையாளுவதற்கு
காலமுறையாக பயிற்சி அளிக்கப்பட வேண்டும்.
- 7) ஆறு மாதங்களுக்கு ஒரு முறை அவசர கால ஒத்திகை பயிற்சி (Mock Drill) நடத்தப்பட வேண்டும்.
- 8) ஆய்வின்போது காணப்பட்ட கட்டிடத்தில் எவ்வித மாற்றங்களும் செய்யக்கூடாது. அவ்வாறு
மாற்றங்கள் ஏதும் செய்தால், இத்தீஉரிமம் தானாகவே இரத்தாகிவிடும் எனவும் தெரிவிக்கலாகிறது.
- 9) இத்தீஉரிமம் 05.12.2020 முதல் 04.12.2021 முடிய ஓராண்டுக்கு மட்டும் செல்லத்தக்கதாகும்.
மீண்டும் உரிய நாளில் புதுப்பிக்கப்பட வேண்டும்.

அலுவலக முத்திரை



PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

Chairman, Rajas Dental College & Hospital, Thirurajapuram,
Kavalkinaru Jn, Tirunelveli District 627 105

நகல்:

துணை இயக்குநர், தீயணைப்பு-மீட்புப் பணித்துறை, தென்மண்டலம், மதுரை,
-பணிநிறைவுப்பலாகிறது.

மாவட்ட அலுவலர்,
தீயணைப்பு-மீட்புப்பணித்துறை,
திருநெல்வேலி மாவட்டம்.



TAMILNADU FIRE SERVICE RESCUE DEPARTMENT

FORM : 41

OM No: 5125/E/2020
Date : 05-12-2020

District Fire Officer,
Fire Service Rescue Work,
Tirunelveli District.

FIRE PERMIT

Sub : Fire Service Rescue Department, Tirunelveli District –
Hospital Buildings – Rules and Regulations – Issue of Fire
Permit – reg.

Ref: (1) Application from (1) The Chairman, Rajas Dental College &
Hospital, Kavalkinaru Junction – 627 105, Tirunelveli District.
(2) Inspection Report of Station Officer, Vallioor, Letter No.4232020.

With reference to the above letter as cited (1) Station Officer of Vallioor Fire Station had inspected the premises of Tirunelveli District, Radhapuram Taluk, Kavalkinaru Village Panchayat, Kavalkinaru Junction, Door No.9/140A, Main Road, Survey No.1965, 1966, 1967, 1968 and 1970 on 26.11.2020.

Found that Rajas Dental College and Hospital has Ground Floor +2 floors buildings available. The certificate is issued on the basis of following conditions.

CONDITIONS

- 1) High level Water Tank and Ground level Sump should have always filled with full of water.
- 2) Fire Extinguisher and Sand Bucket should be always in working conditions.
- 3) First Aid Box also readily usable in any time.
- 4) Veranda / Walking Path should be always neat and clean. Unnecessary waste materials should not be dumped.
- 5) Emergency doors and Ambulance should always open for any time.
- 6) Securities and Staff members should be given training for using fire safety instruments.
- 7) Mock Drill should be conducted in every six months.
- 8) No modifications should be done in the building without the knowledge of Fire Service Department. If so, the Licence will be cancelled automatically.
- 9) This certificate issued with effect from 05-12-2020 to 04-12-2021 for the period of one year.

Office Seal


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT,


Copy to:

- 1) The Chairman, Rajas Dental College & Hospital,
Thirurajapuram, Kavalkinaru Junction, Tirunelveli District-627 105
- 2) Submitted to the Deputy Director, Fire Service and Rescue, Southern Region,
Madurai.

/Sd/

District Officer,
Department of Fire Service & Rescue,
Tirunelveli District.




P. ASOKAN, B.Sc., S.L.
ADVOCATE / NOTARY
Roll No: 837/1983
P.M.K. BUILDING
COURT ROAD, NAGERCOIL-1
KANYAKUMARI DISTRICT
Cell No: 9443336612

L.Dis.No. 5118/A4/2021

O/o Deputy Director of Health Services,
Tirunelveli

Dt: 19.7.2021

SANITARY CERTIFICATE FOR THE EDUCATIONAL INSTITUTIONS

TALUK: RADHAPURAM

District: Tirunelveli

Block: VALLIOOR

THE TAMIL NADU EDUCATIONAL RULE 24 & APPENDIX -3
(Form of Sanitary Certificate)

YEAR: 2021 - 2022

CERTIFICATE

I hereby declare that I have caused to be inspected the Rajas Dental College & Hospital, Kavalkinaru Jn, Vallioor Block Building and Premises on 17.6.2021 and Certify that the accommodation provided for each of the several classes is sufficient for the maximum number of pupil taught therein and is properly ventilated and lighted, that the building is maintained in substantial repair, that it is neat and clean, that the latrine arrangements are adequate and satisfactory, that the supply of drinking water is good, and that in all other necessary aspects the sanitation is Good,

This Certificate is Valid from June 2021 to May 2022

Sanitary Certificate is issued with the following conditions prescribed in the Annexure enclosed.


18.6.2021
BLOCK HEALTH SUPERVISOR
GOVT. PRIMARY HEALTH CENTRE
VADAKANKULAM-627 116
TIRUNELVELI DIST.

Counter signed based on the inspection report of
Block Health Supervisor concerned.


DEPUTY DIRECTOR OF HEALTH SERVICES
TIRUNELVELI




PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

(PTO)

L.Dis.No. 107/A4/2021

O/o Deputy Director Of Health Services,
Tirunelveli

Dt: 21.01.2021

SANITARY CERTIFICATE FOR HOSTEL

Taluk : RADHAPURAM

District : Tirunelveli


Block : Vallioor

CERTIFICATE FOR THE YEAR 2021

I hereby declare that I have inspected the St.Berchman's Boys Hostel, Kavalkinaru Junction, Vallioor Block, Radhapuram Taluk building and premises on 13.01.2021 and certify that the accommodation provided for each rooms is sufficient for the maximum students in and is properly ventilated and lighted, that the building is maintained in substantial repairs, that it is neat and clean that the latrine arrangements are adequate and satisfactory, that the supply of drinking water is whole some and that in all other necessary aspects the sanitation is Good.

This Certificate is Valid from January 2021 to December 2021

Sanitary Certificate is issued with the following conditions prescribed in the Annexure enclosed.



13.01.2021
BLOCK HEALTH SUPERVISOR
GOVT. PRIMARY HEALTH CENTRE
VADAKANKULAM-627 116
TIRUNELVELI DIST.

Counter signed based on the inspection report of
Block Health Supervisor concerned.


DEPUTY DIRECTOR OF HEALTH SERVICES
TIRUNELVELI

21/1/21
21/1/21
21/1/21


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

(PTO)
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN
627 105

R.No. 3493/A4/ 2021

O/o Deputy Director Of Health Services,
Tirunelveli

Dt: 21.04.2021

SANITARY CERTIFICATE FOR HOSTEL

Taluk : RADHAPURAM

District : Tirunelveli


Block : Vallioor

CERTIFICATE FOR THE YEAR 2021

I hereby declare that I have inspected the St.Alphonsa Girls Hostel, Kavalkinaru Junction, Vallioor Block, Radhapuram Taluk building and premises on 22.03.2021 and certify that the accommodation provided for each rooms is sufficient for the maximum students in and is properly ventilated and lighted, that the building is maintained in substantial repairs, that it is neat and clean that the latrine arrangements are adequate and satisfactory, that the supply of drinking water is whole some and that in all other necessary aspects the sanitation is Good.

This Certificate is Valid from January 2021 to December 2021

Sanitary Certificate is issued with the following conditions prescribed in the Annexure enclosed.


22.3.2021
BLOCK HEALTH SUPERVISOR
GOVT. PRIMARY HEALTH CENTRE
VADAKANKULAM-627 116
TIRUNELVELI DIST.

Counter signed based on the inspection report of
Block Health Supervisor concerned.


DEPUTY DIRECTOR OF HEALTH SERVICES
TIRUNELVELI


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.


RAJAS DENTAL COLLEGE & HOSPITAL
TIRUNELVELI DISTRICT



TAMILNADU POLLUTION CONTROL BOARD

RENEWAL OF CONSENT ORDER NO:2109239545167

DATE:07/07/2021

PROCEEDINGS NO.F.0602TNV/OS/DEE/TNPCB/TNV/A/2021 DATED: 07/07/2021

Sub :	Tamil Nadu Pollution Control Board – AUTO RENEWAL OF CONSENT –M/s. RAJAS DENTAL COLLEGE HOSPITAL , S.F. No. 1965 to 1970, PERUNGUDI PART 1 village, Radhapuram Taluk and Tirunelveli District- Renewal of Consent for operation of the plant and discharge of emissions under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) – Issued – Reg.
Ref :	1.CTO's.Proc.No.F.TNV 1114/A/2011 Dated:27.06.2011. 2.RCO's.Proc.No.F.0602TNV/OS/DEE/TNPCB/TNV/A/2019 Dated:30.08.2019. 3.Unit's application No.39545167 Dated:16.06.2021. 4.Minutes of the 249th DLCCC meeting held on 05.07.2021(Vide Item No.DLCCC-249-021).

Renewal of Consent is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Managing Director,
M/s . RAJAS DENTAL COLLEGE HOSPITAL
S.F No. 1965 to 1970,
PERUNGUDI PART 1 Village,
Radhapuram Taluk,
Tirunelveli District.

Authorizing the occupier to operate the industrial plant in the Air Pollution Control Area as notified by the Government and to make discharge of emission from the stacks/chimneys.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending - March 31, 2023.


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



AROKIASAMY ROMALT
TERRIC PINTO FDO
District Environmental Engineer,
Tamil Nadu Pollution Control Board,
TIRUNELVELI
Digitally signed by AROKIASAMY
ROMALT TERRIC PINTO FDO
Date: 2021.07.08 22:36:04 +05'30'



SPECIAL ADDITIONS

TAMILNADU POLLUTION CONTROL BOARD

1. This renewal of consent is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

SI.No.	Description	Quantity	Unit
Product Details :-			
1.	Hospital	300	Nos
By-Product Details :-			
Intermediate Product Details :-			

2. This renewal of consent is valid for operating the facility with the below mentioned emission/noise sources along with the control measures and/or stack. Any change in the emission source/control measures/change in stack height has to be brought to the notice of the Board and fresh consent/Amendment has to be obtained

I Point source emission with stack :				
Stack No	Point Emission sources	Air pollution Control measures provided	Stack height from Ground Level in m	Gaseous Discharge in Nm3/hr
01	DG Set 125 KVA	Exhaust pipe	4	
II Fugitive/Noise emission :				
SI.No.	Fugitive or Noise Emission sources	Type of Emission	Control measures provided	Quantity

Special Additional Conditions-

The unit shall install the approved retrofit emission control device/equipment with at least 70% Particulate matter reduction efficiency on all DG sets with capacity of 125 KVA and above or otherwise the unit shall be shift to gas based generators within the time frame prescribed in the notification No.

TNPCB/Labs/DB(L)02151/2019 dated 10.06.2020 issued by TNPCB.

Additional Conditions-

1. The hospital shall adhere the Ambient Air Quality / Stack Monitoring / Ambient Noise Level standards prescribed by the Board.
2. The unit shall comply with the provisions of the Bio Medical Waste Management Rules, 2016 as amended.
3. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018 & G.O.(Ms).No.37, E & F Department dated 05.06.2020.

AROKIASAMY ROMALT
TERRIC PINTO FDO
Digitally signed by AROKIASAMY
ROMALT TERRIC PINTO FDO
Date: 2021.07.08 22:36:29 +05'30"
District Environmental Engineer,
Tamil Nadu Pollution Control Board,
TIRUNELVELI

To
The Managing Director,
M/s.RAJAS DENTAL COLLEGE HOSPITAL,
Thirurajapuram,
Kavalkinaru
Tirunelveli District.,
Pin: 627105

PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.



Copy to:

1. The Commissioner, VALLIYUR-Panchayat Union, Radhapuram Taluk, Tirunelveli District.
2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, TIRUNELVELI for favour of kind information.



TAMILNADU POLLUTION CONTROL BOARD

RENEWAL OF CONSENT ORDER NO:2109139545167

DATE:07/07/2021

PROCEEDINGS NO.F.0602TNV/OS/DEE/TNPCB/TNV/W/2021 DATED: 07/07/2021

Sub :	Tamil Nadu Pollution Control Board – AUTO RENEWAL OF CONSENT – M/s. RAJAS DENTAL COLLEGE HOSPITAL S.F No. 1965 to 1970, PERUNGUDI PART 1 Village, Radhapuram Taluk, Tirunelveli District- Renewal of Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) – Issued- Reg.
Ref :	1.CTO's.Proc.No.F.TNV 1114/W/2011 Dated:27.06.2011. 2.RCO's.Proc.No.F.0602TNV/OS/DEE/TNPCB/TNV/W/2019 Dated:30.08.2019. 3.Unit's application No.39545167 Dated:16.06.2021. 4.Minutes of the 249th DLCCC meeting held on 05.07.2021(Vide Item No.DLCCC 249-021).

Renewal Of Consent is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Managing Director,
M/s . RAJAS DENTAL COLLEGE HOSPITAL
S.F No. 1965 to 1970,
PERUNGUDI PART 1 Village,
Radhapuram Taluk,
Tirunelveli District.

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending - March 31, 2023


PRINCIPAL
RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105,
TIRUNELVELI DISTRICT.

AROKIASAMY ROMALT TERRIC PINTO FDO
Digitally signed by AROKIASAMY ROMALT TERRIC PINTO FDO
Date: 2021.07.08 22:37:13 +05'30'
District Environmental Engineer,
Tamil Nadu Pollution Control Board,
TIRUNELVELI





SPECIAL CONDITIONS

TAMILNADU POLLUTION CONTROL BOARD

1. This renewal of consent is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl.No.	Description	Quantity	Unit
a.	Product Details :-		
1.	Hospital	300	Nos
b.	By-Product Details :-		
c.	Intermediate Product Details :-		

2. This renewal of consent is valid for operating the facility with the below mentioned permitted outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal
EFFLUENT TYPE :-			
Effluent Type : Sewage			
1.	Sewage 1	18.0	On Industrys own land
EFFLUENT TYPE :-			
Effluent Type : Trade Effluent			
OUTLET NUMBER	DESCRIPTION OF OUTLET	MAXIMUM DAILY DISCHARGE (IN KLD)	POINT OF DISPOSAL

Additional Conditions-

1. The unit shall treat the sewage through septic tank followed by dispersion trench/ Soak pit so as to satisfy the standards prescribed by the Board.
2. The unit shall ensure that the hospital liquid waste if generated is properly disinfected with sodium hypo chloride solution of adequate concentration specified under the Bio Medical Waste Amendment Rules, 2018 before disposal.
3. The unit shall dispose the Bio Medical Waste through Common Bio-Medical Waste Treatment and Disposal Facility after obtaining authorization of the Board under the Bio Medical Waste Management Rule 2016.
4. The unit shall obtain authorization under Bio Medical Waste Management Rule, 2016 as amended immediately.
5. The unit shall comply the provisions of the Bio Medical Waste Management Rules, 2016.
6. The unit shall not use the "use and throw plastic" as specified in the G.O.Ms.No.84, E & F Department dated 25.06.2018.

PRINCIPAL

RAJAS DENTAL COLLEGE & HOSPITAL
KAVALKINARU JN - 627 105.
TIRUNELVELI DISTRICT.

To
The Managing Director,
M/s.RAJAS DENTAL COLLEGE HOSPITAL,
Thirurajapuram,
Kavalkinaru
Tirunelveli District.,
Pin: 627105

AROKIASAMY ROMALT
TERRIC PINTO FDO
District Environmental Engineer,
Tamil Nadu Pollution Control Board,
TIRUNELVELI

Digitally signed by AROKIASAMY
ROMALT TERRIC PINTO FDO
Date: 2021.07.08 22:37:42 +05'30'



Copy to:

1. The Commissioner, VALLIYUR-Panchayat Union, Radhapuram Taluk, Tirunelveli District.
2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of his